

1997/2002

CLEAN CROP(R)

POTATO DUAL SEED TREATMENT

COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Exposure to Captan may produce long term health effect. To minimize exposure, follow directions outlined on this label.

GUARANTEE:

CAPTAN	7.5%
DIAZINON	0.1%

REGISTRATION NO. 12876  
PEST CONTROL PRODUCTS ACT

NET 20 KG

UNITED AGRI PRODUCTS  
R.R. #2  
Dorchester, Ontario  
N0L 1G5

32752 03/92

DIRECTIONS FOR USE

POTATO DUAL SEED TREATMENT contains, Captan and Diazinon for the control of seed rot, damping off and seed and root maggots.

Use at the rate of 250 g per 25 kg of cut seed pieces. Apply in a convenient container or by dusting attachment over belt, or by other effective dusting equipment. Coat each seed piece evenly with a light film of dust. Treat the seed pieces within 6 hours of cutting. Plant as soon as possible after treating. However, if planting is unavoidably delayed or is to be delayed beyond 2 days after treating, treated seed should be stored in open crates to allow air drying until dry before bagging or loose piling.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Never handle material with bare hands. Use rubber gloves: do not use leather or cloth gloves. Avoid spilling on skin or clothing. Do not breathe dust. When handling or applying, wear a respirator, goggles and clothing that completely cover arms and legs to minimize exposure.

Change contaminated clothing daily and wash thoroughly before re-use. Wash hands, face and arms thoroughly after handling captan and before drinking, eating or smoking. Shower after use or at the end of the work day. If an accident occurs, remove contaminated clothing. Wash clothing and gloves before re-use.

Always work out of the wind during treatment and handling operations. Keep unprotected persons out of operating area or vicinity where there may be drift. When treating, augering or handling treated seed, work in a well-ventilated area and wear a respirator, goggles and gloves.

Do not contaminate any body of water.

Do not contaminate feed or foodstuffs. Treated seed should be stained and labelled. "POISONOUS TO MAN AND ANIMALS. This seed has been treated with diazinon and captan for the control of insects and seed borne diseases. Do not use for food or feed purposes."

Label all unplanted treated seed: "Poisonous to man and animals. Do not use for food or feed. This seed has been treated with captan and diazinon."

#### FIRST AID

IF SWALLOWED, cause vomiting and get medical attention.

IF ON SKIN, remove contaminated clothing and wash skin promptly with soap and water.

IF IN EYES, flush with water for 5 to 10 minutes and obtain medical attention.

The patient should be lying down with head below the level of the feet.

DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

#### TOXICOLOGY

Diazinon may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. Atropine is antidotal. May be fatal if swallowed. May be absorbed through the skin. Avoid inhalation and skin contact. Respirator and protective clothing should be worn.

#### DISPOSAL

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.

3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))