

**BROAD SPECTRUM LIQUID MICROBICIDE
FOR THE CONTROL OF ALGAE, BACTERIA
AND FUNGI**

- * NON FOAMING
- * EFFECTIVE AT BOTH ACID AND ALKALINE pH

DIRECTIONS FOR USE

Cutting Fluids:

To inhibit the growth of bacteria and fungi, add 300 to 3,000 ppm based on the total weight of the diluted fluid.

ALGEX

**LIQUID MICROBICIDE
INDUSTRIAL
READ THE LABEL BEFORE USING**

GUARANTEE :

Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)-ethylene dichloride].....20% (by weight)

**REGISTRATION NO. : 22587
PEST CONTROL PRODUCTS ACT**

NET CONTENTS : Liters / Kilograms

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water, food or feed by storage or disposal.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the *Pest Control Products Act* to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.



MAGNUS CHEMICALS LTD
1271 Ampere
Boucherville QC J4B 5Z5

**PRECAUTIONS
KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid contact with eyes, skin, clothing and the contamination of food. Wear safety glasses (goggles), rubber gloves and body-protective clothing. Refer to the Material Safety Data Sheet.

FIRST AID

Eye exposure : flush with clean, cool water for at least 15 minutes or longer till irritation subsides. See a physician if irritation occurs. Skin exposure : wash with a mild soap and water. See a physician if irritation occurs. Remove and wash contaminated clothing (including shoes) before reuse. Inhalation: use proper respiratory protection to immediately remove the affected person from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Get prompt medical attention. Ingestion: **DO NOT INDUCE VOMITING.** Rinse mouth with copious amounts of water or milk, first. Irrigate the esophagus and dilute stomach contents by slowly giving one (1) to two (2) glasses of water or milk. Avoid giving alcohol or alcohol related products. In cases where the individual is semi-comatose, comatose or convulsing. **DO NOT GIVE FLUIDS BY MOUTH.** In all cases, contact a physician or poison control centre **IMMEDIATELY.** Take container, label, or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION : Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL :

- 1) Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2) Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3) Make the empty container unsuitable for further use.
- 4) Dispose of the container in accordance with provincial requirements.
- 5) For information on the disposal of unused, unwanted product, contact the Provincial Regulatory Agency or the Manufacturer. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.