

92.01.27

Scotts(R)  
ProTurf (R)  
BRAND

Broad Spectrum  
Granular Fungicide  
contains PMA and Thiram

READ LABEL BEFORE USING

COMMERCIAL

CAUTION POISON

CALL A DOCTOR IN CASE OF ACCIDENT

Guarantee

PMA (Phenylmercuric acetate). . . . .	0.69%
Thiram (Tetramethylthiuram disulfide) . . . . .	4.65%

REGISTRATION NO 11339 PEST CONTROL PRODUCTS ACT

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin or getting into eyes. In case if ingestion, severe skin or eye irritation, get medical attention promptly. After using, wash all exposed skin areas thoroughly. Clear water may be used as eye wash. Keep away from feed and foodstuffs. Do not consume alcoholic beverages before or within 24 hours of working with this product. Store in cool, dry ventilated place. Keep away from heat, fire, and sparks. May irritate eyes, nose, throat and skin. May cause allergic eczema in sensitive individuals. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling and before eating, drinking or smoking. Wash contaminated clothing with soap and hot water before reuse.

Toxic to fish and wildlife. Keep out of any body of water.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product of USA

ProTurf Division, The O M Scott & Sons Company  
Marysville, Ohio  
43041, USA

(c) 1989. The O M Scott & Sons Company. All rights reserved.

Scotts(R)  
ProTurf(R)  
BRAND

Broad Spectrum  
Granular Fungicide  
contains PMA and Thiram

#### Directions for use

Prevents and controls brown patch, leaf spot (*helminthosporium* spp.), dollar spot, pink snow mold (*Fusarium nivale*), gray snow mold (*Typhula* spp.), red thread and copper spot.

Apply to moist or dry grass. Use before disease appears or when symptoms are first noticed. Repeat as necessary. To arrest severe infection, use the DOUBLE RATE. To control snow mold, apply DOUBLE RATE before first permanent snow, repeat during mid-winter thaw when turf is exposed. To control and prevent spread of the disease under cool, wet conditions in the spring, make additional applications after the spring thaw.

After use, wait at least 24 hours before mowing or watering, except on golf greens. Here it is best to rinse surface lightly after application to avoid pick up on shoes, golf balls or maintenance equipment.

FIRST AID: If on skin: Remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes: Flush with water for 15 minutes and obtain medical attention. If swallowed: Give patient one to two glasses of water and cause vomiting by inserting a finger down the throat or by giving the patient 15 mL of salt, mustard or soap in a glass of warm water. Follow with raw egg white, milk, or flour and water, as much as the patient can swallow. Obtain medical attention.

DISPOSAL: Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact

the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the PEST CONTROL PRODUCT ACT to use a control product under unsafe conditions.

ProTurf Division  
 The O M Scott & Sons Company  
 Marysville, Ohio 43041, USA

Suggested Spreader Settings				
To provide proper distribution calibrate spreader before application 13.2 kg treats 1022 m <sup>2</sup> at NORMAL RATE (Use 12.9 k/1000 m <sup>2</sup> ) 13.2 kg treats 511 m <sup>2</sup> at DOUBLE RATE (Use 2.6 k/100 m <sup>2</sup> )				
			SPREADER SETTING	
SPREADER	GROUND SPEED	COVERAGE	NORMAL RATE	DOUBLE RATE
Scotts Drop	5 km/h	overlap wheels	6 1/2	8 1/2
Scotts Rotaries R-7, R-7X PT-10, PT-11 R-8 (cone 8)	5 km\h 5 km\h	2.4 m 2.7 m	F K 1\2	J O
Lely Models (see below)	7 km/h	6.0 m	5 1/4 IV	7 IV
Gandy (30")	5 km/h	overlap wheels	33	39
Lely Models WTR, WFR, HR and 1250. PTO 450 rpm.				

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))