

28-SEP-1999

MANAGE (R) CHARGE
LIQUID SPRAY ADJUVANT
FOR USE WITH ROUNDUP (R) HERBICIDE
NET CONTENTS: 4 LITRES

AGRICULTURAL

READ THE LABEL BEFORE USING

GUARANTEE:
Nonylphenoxy polyethoxyethanol 92%

REGISTRATION NO. 25438

PEST CONTROL PRODUCTS ACT

MONSANTO CANADA INC.
BOX 667
MISSISSAUGA, ONTARIO
L5M 2C2

MANAGE CHARGE

GENERAL INFORMATION

MANAGE CHARGE is a surfactant for use with Roundup herbicide in situations where a non-ionic surfactant is called for (minimum or zero tillage systems, surfactant additive, etc.). It's important to follow label directions for Roundup using the recommended rates in combination with MANAGE CHARGE.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Do not store or place near open flames or sources of heat. Do not apply more surfactant than recommended or excessive run-off may occur. Avoid contact with eyes.

DISPOSAL:

1. Triple - or pressure-rinse the emptied container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.

FIRST AID

If in eyes or if on skin rinse with clean water for 15 minutes. If irritation persists, get medical attention. If swallowed, do not induce vomiting. If conscious, dilute by giving 2 glasses of water. Call a physician or a poison control centre immediately.

NOTICE TO USER

This control product is to be used in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising out of the use or handling of the product and accepts the product on that condition.

DIRECTIONS

With Roundup: Minimum/Zero-Tillage/Summerfallow

To improve the effectiveness for post-emergent control of annual grasses and broadleaf weed in Minimum/Zero-Till systems for wheat, oats and barley or on summerfallow, apply MANAGE CHARGE at 350 mL/ha plus Roundup at 1.1 L/ha in 50 - 100 L/ha of clean water. See Minimum Tillage section of Roundup label for weeds controlled and other details of application.

QuackGrass

When applying the "Quackgrass Control" rate of 2.5 L/ha of Roundup and water volumes of 150 - 300 L/ha add Manage Charge at

0.5% (0.5 litres/100 litres of water) to maintain adequate surfactant concentration in spray solution. See "Quackgrass Control" section of Roundup label for other details of application.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))