

97.01.22

BLACK FLAG

WASP AND HORNET KILLER

KILLS ON CONTACT

READ THE LABEL BEFORE USING

PRESSURIZED SPRAY / DOMESTIC

GUARANTEE:

PYRETHRINS	0.050%
PIPERONYL BUTOXIDE	0.100%
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	0.166%
PROPOXUR	0.500%

REG.NO. 23299.03

P.C.P. ACT

DANGER:

EXTREMELY FLAMMABLE/EXPLOSIVE

311 g

THE CLOROX COMPANY OF CANADA, LTD.

MOOSE JAW, SASK.

S6H 4N7

Trade Mark Reg'd to The Clorox Company Reg'd user.

DIRECTIONS: For the control of wasps, bees, hornets and yellow jackets, remove protective cap and point nozzle in the direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2-2.5 metres. To prevent insect from falling on skin and clothing, do not stand directly under nest. Allow sufficient time for insects to become dead or moribund. Applications to wasps nests should be made in late evening or early morning (if possible) when insects are at rest.

LIMITATIONS: Do not use inside homes or on humans or animals. Do not use as a space spray.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash thoroughly with soap and warm water after using. Keep children and pets away from treated area until insects are dead. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50 deg C. Do not puncture or incinerate. DO NOT USE IN THE PRESENCE OF AN OPEN FLAME OR SPARK. CONTAINER MAY EXPLODE IF HEATED.

FIRST AID: If on skin, wash immediately with soap and warm water. If in eyes, flush with clean water for 15 minutes; call a physician. If ingested, DO NOT induce vomiting. Contact a physician or poison control centre immediately.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))