

94.08.24

SANEX

DIAZINON 50-S

An oil soluble insecticide for dilution
with base oil to control cockroaches and other pests.

COMMERCIAL

DANGER POISON

READ THE LABEL BEFORE USING

REGISTRATION NO. 12439
PEST CONTROL PRODUCTS ACT

GUARANTEE: DIAZINON
(0,0-Diethyl-0-(2-isopropyl
4-methyl-6-pyrimidinyl)
phosphorothioate)
500 g/litre

NET CONTENTS

Manufactured by

SANEX AGRO INC.
36 Head Street, Dundas, Ontario L9H 3H3

Branches Throughout North America

DIRECTIONS:

COCKROACHES, SILVERFISH, FLEAS, ANTS, CRICKETS, AND EARWIGS:

Prepare a 1/2% Diazinon spray by thoroughly mixing 8 mL of Diazinon 50% Oil Soluble Concentrate with 1 litre of base oil. Coarse spray or paint brush application of finished spray should be made to infested places, such as base boards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where insects hide. Treatment should be repeated as necessary. Remove or cover all food and utensils before treatment.

A stronger preparation of 1% Diazinon (16 mL/litre) is recommended for the initial treatment where there is a heavy cockroach infestation. The following monthly applications can be made with a 1/2% concentration.

CARPET BEETLES:

Use Diazinon at a rate of 1/2 % and treat infested areas around baseboards, cracks in the floor and walls and localized areas of floors and floor coverings. Repeat as required.

BROWN DOG TICKS AND FLEAS:

Apply Diazinon 1/2% to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not apply this product to animals.

CLOVER MITES:

Treatment with Diazinon 1/2% (8 mL/litre) should be made to window and door frames and sills along baseboards and the floor near to them. Pay particular attention to cracks and crevices. Apply as a coarse spray or with a paint brush, thoroughly, wetting the surface.

FLY CONTROL IN DAIRY BARNES AND OTHER FARM BUILDINGS:

Prepare a 1/2% spray by thoroughly mixing 8 mL of Diazinon 50-S to each litre of base oil. Apply the spray to the entire area of ceilings and walls in dairy barns, livestock sheds, calf barns, hog barns and other farm buildings. Do not use Diazinon 50-S in poultry houses or milk houses. Spray thoroughly such areas as garbage dumps, corrals, and other places where flies congregate. Repeat applications as necessary. Residual fly control of up to

8 weeks can be achieved by doubling the dosage rate to 16 mL of Diazinon 50-S for each litre of base oil, giving a 1% spray. Apply this prepared 1% spray to the pint of "run off". One litre of the prepared spray should cover 7-14 m² area depending on the surfaces to be treated. It is important to remove all animals from buildings before spraying. Keep them out until the initial spray has dried (about 4 hours).

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Keep away from flames. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed or foodstuffs. Keep out of reach of children and pets. This product contains a petroleum distillate which may stain certain plastic, rubber and asphalt materials such as tiles and floor coverings. Do not apply to these surfaces. Never apply to animals.

"In meat packing and food processing plants, only spray when plant is not in operation. No exposed meat products, ingredients or packaging materials to be left in the room. Cover food handling equipment. Any treated surface that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing".

FIRST-AID:

DANGER - product contains petroleum distillates. If swallowed, DO NOT induce vomiting. Get medical attention at once. If on skin, wash thoroughly with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION:

Stomach lavage. Diazinon is a cholinesterase inhibitor. Antidote: Atropine Sulphate at 1-2 milligrams every 15 minutes may be necessary.

DISPOSAL

Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial

requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller`s guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))