

FRONT PANEL - ENGLISH

GREEN CROSS®

KILLEX® LIQUID TURF HERBICIDE

COMMERCIAL

NET CONTENTS: 4 L, 10 L, 15 L, 55 L, 80 L,
110 L, 200 L, 500 L, 600 L

Specially formulated for hard-to-kill weeds in turf (parks,
lawns, golf courses, etc.)

Contains amines of mecoprop, 2,4-D and dicamba

GUARANTEE:

2,4-D (isomer specific)	190 g/L
Mecoprop (d-isomer)	100 g/L
Dicamba	18 g/L
(all as amines)	

REGISTRATION NO.: 9811
PEST CONTROL PRODUCTS ACT

CONTROLS OVER 50 DIFFERENT LAWN WEEDS

READ THE LABEL AND BACK PANEL BEFORE USING
PROTECT FROM FREEZING

Scotts Canada Ltd.
2000 Argentia Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7

CAUTION



POISON

DANGER - EYE IRRITANT

BACK PANEL - ENGLISH

KILLEX - TURF HERBICIDE LIQUID

Controls dandelion, broad-leaved plantain, narrow-leaved plantain, black medick, heal-all, ground ivy, knotweed, ragweed, shepherd's-purse, burdock, chicory, dock (curled), lamb's-quarters, kochia, peppergrass, pigweed, purslane, sow thistle, grass leaved stitchwort, blueweed, wild lettuce, mustards, prostrate pigweed, sandwort (thyme-leaved), pineapple weed, fall dandelion (fall hawkbit), daisy fleabane, birdsfoot trefoil, blackseed plantain, Canada thistle, smartweed (green), stonecrop (mossy), Russian thistle, common chickweed, mouse-ear chickweed, clover, bedstraw, poison ivy, devil's paint brush (hawkweed), buttercup, English daisy, bindweed (field), henbit, mallow, ox-eye daisy, sheep sorrel, speedwell (purslane leaved), spotted spurge, stitchwort, yellow hawkweed, veronica (thyme-leaved).

DIRECTIONS FOR USE:

TURF (Other than bent grass):

Apply KILLEX TURF HERBICIDE at the rate of 5.5 L per hectare (60 mL on 100 square metres) in sufficient water for adequate coverage (300 - 1,500 L/ha). Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours of application. Keep off area until dry. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown 1 - 2 weeks after application at recommended rate.

BENT GRASS TURF:

In closely mowed bent grass (putting and bowling greens, etc.) apply KILLEX TURF HERBICIDE at a maximum rate of 30 mL per 100 square metres (2.75 L/ha) preferably in May, or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bent grasses. Large volumes of spray water (i.e., 30 mL in 20 L water per 100 square metres) will aid in obtaining uniform coverage. If hand-type sprayers are used it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local overapplication and subsequent turf discoloration or injury.

Fertilizer Tank Mix: KILLEX TURF HERBICIDE is compatible with liquid fertilizers such as GREEN CROSS LAWN GREEN® 15-5-5 or GREEN CROSS FERROMECH* (minimum of 9 L of water/100 square metres). Follow all fertilizer label instructions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Keep in original container during storage. Do not allow spray, spray mist, visible or invisible vapours or air containing mist or vapours to contact plants other than those being sprayed. If 2,4-D susceptible plants are growing within a distance of 400 metres from the area being sprayed, spray only when there is a light breeze away from the susceptible plants. Spray drifting can be reduced by using high volume sprays under low pressure, coarse sprays and drop nozzles. Susceptible crops include grapes, tomatoes, tobacco, sugar beets, sunflowers, beans, turnips, cauliflower and cabbages, as well as many other field, vegetable, ornamental and fruit crops. Do not contaminate streams, lakes, ponds, irrigation water, water used for livestock or for domestic purposes. Do not store open container near seeds, feeds, fertilizers or pesticides including insecticides, fungicides and weed killers other than those containing 2,4-D or brush killer. Sprayers which have contained KILLEX should not be used to apply other pesticides to 2,4-D susceptible crops. DO NOT APPLY BY AIR.

Protective Clothing & Equipment:

- **Handling the concentrate (mixing and loading):** Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, and protective eye wear (face shield or safety glasses). Rinse gloves before removal. Coveralls or a chemical-resistant apron should also be worn when open pouring from containers greater than 5 L.
- **Handling the dilute spray solution (during application or repairing or cleaning equipment):** Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes. Rinse gloves before removal. Gloves are not required during application when applicator is in an enclosed tractor.

Operator Use Precautions:

- Wear freshly laundered clothing and clean protective equipment daily.
- Rinse gloves before removal.
- Wash hands before eating, drinking, using tobacco or using the toilet.
- If herbicide penetrates clothing remove immediately; then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate.
- After using this product, remove clothing and launder separately and promptly, and thoroughly wash hands and exposed skin with soap and water. Follow manufacturer's instructions for cleaning personal protective clothing and

equipment. If no such instructions for washables are provided, use detergent and hot water. Keep and wash personal protective equipment separate from household laundry.

- After work, remove all clothing and shower using soap and water.

Re-entry Interval:

- Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

Maximum Application Frequency to Turf:

- For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

Transfer System:

- Containers larger than 20 L: Use a transfer system that avoids open pouring when transferring the liquid concentrate from such containers into the spray tank.

FIRST AID:

This product may cause skin sensitization reactions in certain individuals. **If on skin**, wash with soap and water. **May cause severe eye irritation and reversible eye damage.** **If in eye**, splash repeatedly with plenty of clean water. If irritation persists, obtain medical attention or contact a Poison Control Centre. **If swallowed**, INDUCE VOMITING. Obtain medical attention or contact a Poison Control Centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Gastric lavage may be indicated. Alkaline diuresis may be beneficial in severe cases. Treat according to symptoms.

DECONTAMINATION AND DISPOSAL:

Follow the following steps for disposable containers:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the **Pest Control Products Act** to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

® used under license by Scotts Canada Ltd.

© 2004, Scotts Canada Ltd. World rights reserved.

*Registered trademark of PBI Gordon Corp.

TEXT FOR STICKER - ENGLISH

REDUCED ODOUR FORMULA

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.