

2000/2001

F-11 DISINFECTANT

DISINFECTANT - SANITIZER WITH ORGANIC SOIL TOLERANCE FOR
INSTITUTIONAL, INDUSTRIAL, SCHOOL, AND FARM USE

FOR USE IN FOOD PLANTS.

WARNING

POISON IRRITANT

GUARANTEE

OCTYL DECYL AMMONIUM CHLORIDE.....2.250%
DIDECYL DIMETHYL AMMONIUM CHLORIDE.....1.125%
DIOCTYL DIMETHYL AMMONIUM CHLORIDE.....1.125%
ALKYL (C₁₄,50%; C₁₂,40%; C₁₆,10%)
DIMETHYL BENZYL AMMONIUM CHLORIDE.....3.000%

REGISTRATION No. 20689
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

X 4.0 L X 20 L X 210 L

GULFSTAR CHEMICALS INC.
R.R. #3 HUNTER RIVER,
PRINCE EDWARD ISLAND
COA 1N0
PHONE: (902) 963-2554

USE DIRECTIONS

Apply F-11 disinfectant with a cloth or mop. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when solution becomes visibly dirty.

For disinfection of hard surfaces in industry and schools - add 6 ML F-11 disinfectant to 1 litre water. For disinfection of animal quarters and equipment - add 6 ML F-11 disinfectant to 1 litre water after thorough cleaning. Prior to disinfection, all animals and their feeds must be removed from the premises. This includes

emptying all troughs, racks, and other feeding and watering appliances. Remove all litter from floors, walls and other surfaces occupied by animals. After disinfection, ventilate buildings and closed spaces. Do not house animals or employ treatment until treatment has absorbed or dried. All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse. FOOD EQUIPMENT AND SURFACES TO CONTACT WITH FOOD SHOULD BE RINSED THOROUGHLY WITH POTABLE WATER AFTER CLEANING PROCEDURE.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May cause eye damage and skin irritation. Do not get in eyes or on skin. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get medical attention. If swallowed, drink milk, egg whites, gelatin solution or large quantities of water. Get medical attention or call Poison Control Centre immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow Provincial instructions for any required additional cleaning of the container prior to it's disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with Provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the Provincial Regulatory Agency or the Manufacturer.

GULFSTAR
CHEMICALS

New Glasgow, Prince Edward Island C0A 1N0 902-963-2554

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))