

01-AUG-1995
Expires - 2003.12.31

PLANT PRODUCTS

®Metasystox-R

SYSTEMIC INSECTICIDE EMULSIFIABLE CONCENTRATE

CONTAINS
25% Oxydemeton-Methyl
(* Metasystox-R)

AGRICULTURAL

GUARANTEE:
240 g Oxydemeton-Methyl per litre

REGISTRATION NO. 9918
PEST CONTROL PRODUCTS ACT

POISON **DANGER** FLAMMABLE

READ THE LABEL BEFORE USING

®Metasystox-R is a registered trademark,
registered U.S. and Canadian Pat. office by
Farbenfabriken Bayer A.G. Chemagro licensee.

3.5 L

Plant Products Co. Ltd.
BRAMPTON, ONTARIO
CANADA L6T 1G1

®Metasystox-R

DIRECTIONS FOR USE:

For Use on Greenhouse Ornamentals Only.

CROP: Greenhouse Flowers: When large plantings of Chrysanthemums are to be sprayed, treat only a few plants and observe for injury before treating the entire planting.

INSECT: Aphids, Mites, Thrips

DOSAGE: For Dilute Sprayers: 2-3.75 litres to 1000 litres water, 15 mL to 10 litres water.

For Concentrate Mist Sprayer: 125 mL to 10 litres water.

NOTE:

Injury has occurred in greenhouses on chrysanthemum varieties Hurricane, Iceburg, Whitetop and Pennant.

MIXING: @Metasystox-R Systemic Insecticide Spray and Soil Drench forms an emulsion when diluted with water and is suitable for both dilute and concentrate mist sprayers.

SPRAYING: Work to windward. Protect sprayer operators from drift or mist. When low volumes of spray are applied, complete coverage and thorough applications are essential for most effective results.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

DISPOSAL: DO NOT RE-USE THE CONTAINER.

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

Use @Metasystox-R Systemic Insecticide Spray and Soil Drench on greenhouse ornamentals only. Do not treat food crops grown in the greenhouse. To protect fish and wildlife, do not contaminate streams, lakes or ponds. Wear rubber gloves while handling this product or freshly treated products. May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or in clothing. Do not breathe spray mist. Wash clothing thoroughly with soap and hot water before re-use. Avoid contamination of feed or food.

FIRST AID INSTRUCTIONS:

In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving two glasses of warm water. Do not induce vomiting if patient is unconscious.

TOXICOLOGICAL INFORMATION:

Atropine sulfate is antidotal. 2-PAM is also antidotal and may be

administered in conjunction with atropine.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. it is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

ORGANOPHOSPHORUS PESTICIDES,
LIQUID, FLAMMABLE,
TOXIC, N.O.S.
(METHYL-ISOBUTYL-KETONE)
UN 2784

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))