

85.12.31

PYRENONE (R) DIAZINON (R) DUAL USE  
RESIDUAL INSECTICIDE

CODE 222.70

Containing pyrethrins, piperonyl butoxide and Diazinon.

Provides quick knockdown and flushing of insects by Pyrenone combined with the residual effects of Diazinon.

COMMERCIAL

GUARANTEE: PYRETHRINS	3.33%
PIPERONYL BUTOXIDE TECH	16.64%
DIAZINON	32.02%

REGISTRATION NO. 14634 P.C.P. ACT

READ THE LABEL BEFORE USING.

DANGER            POISON

PYRENONE - Trademark of Fairfield American Corporation

DIAZINON - Trademark of the Ciba Geigy Corporation

Net Contents:	3.78 litres
	18.90 litres
	113.4 litres
	207.8 litres

FAIRFIELD CHEMICAL CANADA (1986) INC.  
201 ROUTE 17  
RUTHERFORD, N.J. 07070

DIRECTIONS FOR USE

This concentrate is designed to be diluted with either water or oil. The dilution rate in water or oil is one part concentrate to 63 parts diluent.

When diluting with water, prepare only the amount needed for immediate use. Holding a water dilution more than 24 hours is not recommended. Agitate occasionally. For oil dilutions, a deodorized petroleum is recommended.

Vacate premises after treatment and ventilate before reoccupying. Sweep up and remove dead insects.

APPLY AS SPOT TREATMENT ONLY.

Repeat treatment when reinfestation occurs.

Remove pets and cover fish bowls before spraying. Do not allow children to contact treated areas until surfaces are completely dry.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

COCKROACHES, ANTS, CENTIPEDES, MILLIPEDES, SILVERFISH, SPIDERS, SOWBUGS, CRICKETS, and EARWIGS: Spray areas where these pests are found or may hide, including dark corners or rooms and closets, cracks and crevices, along baseboards and door sills and frames, behind and beneath sinks, stoves, refrigerators and cabinets and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. Spray ant trails, nests and points of entry.

CARPET BEETLES: Spray edges of carpeting and under carpet and rugs. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets and infested areas of shelving.

FLIES, MOSQUITOES, MOTHS, and WASPS: Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Never use as a space spray.

FLEAS, BROWN DOG TICKS, CLOVER MITES, and ANTS outdoors. For treatment of localized infestations of these insects in outdoor areas, spray weeds and bushy non-crop areas around buildings thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways.

FLEAS and BROWN DOG TICKS: For rapid cleanout of fleas and brown dog ticks in cellars, animal quarters, kennels or where infestation occurs, apply as a surface spray in a good sprayer

adjusted to deliver coarse droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Fresh bedding should be provided for animals after treatment. Do not treat animals.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Wear an approved respirator when handling large amounts. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Wash thoroughly after handling and before eating or smoking. Do not spray animals. Remove all animals, fish and birds before spraying; do not return them for at least 4 hours after treatment. Do not contaminate food, feed or water. Toxic to fish, bees and birds. Do not handle this product near sparks or open flame.

FIRST AID: If swallowed, do NOT induce vomiting, but rush patient to hospital, taking this container along. If in eyes, flush with plenty of water for 15 minutes and get medical attention. If on skin, wash with soap and water.

TOXICOLOGICAL INFORMATION: Diazinon is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal. This product contains petroleum distillates. Use gastric lavages and saline cathartics.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

SELLER'S GUARANTEE shall be limited to the terms set out of the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )