

10-JUL-2001

((BOX))

GREEN CROSS®

LIME SULPHUR

DOMESTIC

LIQUID

A SULPHUR INSECTICIDE/FUNGICIDE

**For shrubs, fruit trees, ornamentals and roses.
For both dormant and summer season use.**

NET CONTENTS: 500 mL, 1 L

GUARANTEE:

Calcium Polysulphide 23%

REGISTRATION NO.: 15982

P.C.P. ACT

**READ THE LABEL AND PAMPHLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

Scotts Canada Ltd.

2000 Argentia Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Irritating to the skin, eyes and mucous membranes. Avoid contact with eyes and skin. Wash after use. Burning can be prevented by washing exposed parts with vinegar. Splashing of contents on clothing will cause stains.

FIRST AID:

If in eyes, Flush eyes with clean water; get medical attention

immediately. **If on skin**, wash exposed parts with household vinegar to prevent burning. **If swallowed or inhaled**, call a physician or Poison Control Centre immediately; give artificial respiration and oxygen if necessary. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL:

Do not reuse empty container. Wrap empty container and discard in household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

Web Site: www.greencrosscanada.com

®Registered trademark of The Scotts Company, Scotts Canada Ltd. licensee

((BOTTLE))

GREEN CROSS®

LIME SULPHUR

DOMESTIC

LIQUID

A SULPHUR INSECTICIDE/FUNGICIDE

**For shrubs, fruit trees, ornamentals and roses.
For both dormant and summer season use.**

NET CONTENTS: 500 mL, 1 L

GUARANTEE:

Calcium Polysulphide 23%

REGISTRATION NO.: 15982
P.C.P. ACT

READ THE LABEL AND PAMPHLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Scotts Canada Ltd.

2000 Argentia Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Irritating to the skin, eyes and mucous membranes. Avoid contact with eyes and skin. Wash after use. Burning can be prevented by washing exposed parts with vinegar. Splashing of contents on clothing will cause stains.

FIRST AID:

If in eyes, flush eyes with clean water; get medical attention immediately. **If on skin**, wash exposed parts with household vinegar to prevent burning. **If swallowed or inhaled**, call a physician or Poison Control Centre immediately; give artificial respiration and oxygen if necessary. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

DISPOSAL:

Do not reuse empty container. Wrap empty container and discard in household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

Web Site: www.greencrosscanada.com

®Registered trademark of The Scotts Company, Scotts Canada Ltd.
licensee

((PAMPHLET))

GREEN CROSS®

LIME SULPHUR

DOMESTIC

LIQUID

A SULPHUR INSECTICIDE/FUNGICIDE

For shrubs, fruit trees, ornamentals and roses.

GUARANTEE:

Calcium Polysulphide 23%

REG. NO.: 15982

P.C.P. ACT

READ THE LABEL AND THIS PAMPHLET BEFORE USING

Scotts Canada Ltd.
2000 Argentia Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7

LIME SULPHUR controls certain insects and diseases on woody plants as a dormant spray. It may also be used at a more dilute concentration in the growing season. Do not spray when temperature is over 27°C. Spray in early morning or cool of evening to prevent burning. Do not mix with any other product when applying spray except as directed. Do not spray painted woodwork, stone or bricks as staining may result.

DIRECTIONS FOR USE:

Mix well. Wet all parts of plants and pests thoroughly. Make new spray for each use and do not store diluted spray.

FOR USE ON	PESTS CONTROLLED	GREEN CROSS DIAL-A-SPRAY® SETTING*	COMPRESSED AIR SPRAYER	TIMING
Apples, Pears	Rust mite, pear blister mite, pear scab and scale insects	30 (Spray 4 times and let dry between applications.) <u>or</u> 60 (Spray 2 times and let dry between applications.)	125 mL/L of water (1 pint/ gallon)	Spray in early spring before buds swell.
Apples	Apple scab	25	25 mL/L of water (0.25 pints per gallon)	Spray after bud break before leaf tips are 5 mm long.

	Apple scab	15	Mix 15 mL Lime Sulphur in 1 L of water (5 tablespoons per gallon)	Use for all later sprays. Repeat application every 7 days until mid-June. Further applications are required if scab shows on the leaves. Summer sprays also control mildew.
Peaches	Peach Leaf Curl	30 (Spray 2 times and let dry between applications.) <u>or</u> 60 (Spray once.)	Mix 62.5 mL Lime Sulphur in 1 L of water (0.5 pints/gallon)	Spray BEFORE buds start swelling in spring or late fall after leaves have dropped.
Plums	Black knot	30 (Spray 3 times and let dry between applications.)	Mix 100 mL of Lime Sulphur in 1 L of water (0.75 pints/gallon)	Spray when buds start to break.
Raspberries , Loganberries	Spur Blight, Cane Blight Disease	30 (Apply 3 sprays and let dry between applications.)	Mix 100 mL Lime Sulphur in 1 L of water (0.75 pints/gallon)	Spray as soon as bud shows 5-10 mm of green.
Blackberries	Red Berry Mite			

<p>Currants, Gooseberries</p>	<p>Mildew, Currant Rust, Currant Bud Mite</p>	<p>10</p>	<p>Mix 12.5 mL Lime Sulphur in 1 L of water (4 tablespoons per gallon)</p>	<p>For gooseberry mildew, repeat weekly from fruitset until fruit colours. For currant rust, repeat after harvest. Growing season: Spray at intervals of two weeks. Repeat more frequently under humid conditions, less frequently under dry conditions.</p>
<p>Roses</p>	<p>Rose Scale Black Spot</p>	<p>30 (Spray 4 times and let dry between applications.) <u>or</u> 60 (Spray 2 times and let dry between applications.)</p>	<p>Mix 125 mL Lime Sulphur in 1 L of water (1 pint/gallon)</p>	<p>Spray before leaf buds break in spring.</p>

		2	Mix 2 mL Lime Sulphur in 1 L of water (2 teaspoons per gallon)	During summer apply every 1-2 weeks for mildew and black spot control. Cut open flowers before spraying to avoid possible staining.
	Rose canker	Same as rose scale above.	Same as rose scale above.	Same as rose scale plus remove and destroy all diseased branches.
Woody Ornamental Trees and Shrubs	Scale insects on bark, Needle Scale on Pine and Spruce, Maple Bladder Gall Mite	30 Apply 4 sprays and let dry between applications.) <u>or</u> 60 (Apply 2 sprays and let dry between applications.)	Mix 125 mL Lime Sulphur in 1 L of water (1 pint/gallon)	Spray to wet all bark areas (and needles of pine and spruce) in spring before buds break.

	Spruce Gall Aphid	25	Mix 25 mL Lime Sulphur in 1 L of water (0.25 pints/gallon)	Spray to wet all bark areas (and needles of pine and spruce) in spring before buds break.
--	----------------------	----	--	--

COMBINATION DORMANT SPRAY:

FOR USE ON	PESTS CONTROLLED	GREEN CROSS DIAL-A-SPRAY® SPRAYING*	COMPRESSED AIR SPRAYER	TIMING
Fruit Trees: Apple, Cherry, Pear, Peach, Plum (Dormant trees only.)	Aphids, apple mealybug, blister mites, brown rot, Coryneum blight, European scale, peach leaf curl, peach blight, peach twig borer, pear scab, San Jose scale, rust mites, spider mites	1. Fill DIAL-A-SPRAY with 150 mL of Dormant Oil and 300 mL of Lime Sulphur. 2. Shake well. 3. Set dial at 60 and spray. (If your highest dial setting is 30, set at 30 and spray. Allow to dry and repeat.)	Mix 19 mL of Dormant Oil plus 40 mL of Lime Sulphur per litre of water (6 tablespoons of Dormant Oil plus 0.4 pints of Lime Sulphur per gallon).	Apply to dormant trees only.

CAUTION: Do not use Liquid Lime Sulphur and Dormant Oil Spray within 30 days of each other during the growing season.

NOTE: Do not spray on apricot or Japanese plum when they are in leaf as severe injury will result.

*The GREEN CROSS DIAL-A-SPRAY® is a hose-end sprayer with various settings. The number of the setting is the number of mL of product being applied per litre of water. Please refer to the DIAL-A-SPRAY label and pamphlet for use instructions.

15 mL = 1 tablespoon; 5 mL = 1 teaspoon

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Irritating to the skin, eyes and mucous membranes. Avoid contact with eyes and skin. Wash after use. Burning can be prevented by washing exposed parts with vinegar. Splashing of contents on clothing will cause stains.

FIRST AID:

If in eyes, flush eyes with clean water; get medical attention immediately. **If on skin,** wash exposed parts with household vinegar to prevent burning. **If swallowed or inhaled,** call a physician or Poison Control Centre immediately; give artificial respiration and oxygen if necessary. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

DISPOSAL:

Do not reuse empty container. Wrap empty container and discard in household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

Web Site: www.greencrosscanada.com

®Registered trademark of The Scotts Company, Scotts Canada Ltd. licensee

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

