PYRATEX 525 INSECTICIDE

Contains a botanical insecticide derived from the Chrysanthemum flower. A ready to use concentrated insecticide for the control of insect pests infesting stored food products, feed and flour mills, tobacco warehouses, food processing plants, transportation vehicles and other industrial premises.

COMMERCIAL KEEP OUT OF REACH OF CHILDREN READ LABEL BEFORE USING REG.NO 27941 P.C.P. ACT

GUARANTEE Pyrethrins 0.5% Piperonyl Butoxide 2.0%

Net Contents: 20L

P. O. Box 354, Cobourg, ON. K9A 4K8 ditchlingcorp@nhb.com

DIRECTIONS FOR USE FOR CONTROL OF GRAIN INSECTS

Flour Weevils, Confused Flour Beetles, Saw Toothed Grain Beetles, Cigarette Beetles, Flat Grain Beetles: To kill the exposed stages of these pests, use **PYRATEX 525 INSECTICIDE** at the rate of 1.25 to 2.5 litres per 100 square meters and spray thoroughly walls, beams, ceilings, pipes, undersides of pallets etc., so as to hit as many insects as possible and to effect a thorough coverage of all surfaces. Hold container upright while spraying. During warm weather weekly applications should be made.

FOR CONTROL OF STRUCTURAL INSECTS:

Ants, Roaches, Silverfish, Spiders, Crickets: Use at the rate of 1-2 litres per 100 square metres. Treat infested areas around refrigerators, sinks, undersides of tabletops and shelving, all cracks, crevices, baseboards, moulding and other hiding places. Apply also around all pipe openings through walls, floors and ceilings and open cracks between tiles. NOTE: This product is not for use as a broadcast application.

FOR CONTROL OF FLYING INSECTS:

Flies, Mosquitoes, Biting Midges, Wasps, Moths, Small Flying insects: SPACE SPRAY:

Apply **PYRATEX 525 INSECTICIDE at** the rate of 40-80 mL per 100 cubic meters with a machine that produces aerosol mist. Apply weekly or more often as infestation warrants. Remove all animals from treatment area before using as a space spray. Close all doors and windows and shut off ventilating systems. Direct spray upwards to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present. Spray only when temperature is below 32°C. Keep area sealed for 30 minutes after each treatment. Do NOT remain in treated areas. Ventilate treated areas for at least 30 minutes before re-entry.

INDOOR FOGGING:

Apply **PYRATEX 525 INSECTICIDE** at no more than 200 mL per 100 cubic meters. When using thermal fog generator the equipment must be operated and maintained in the manner prescribed on the instruction plate affixed to it and in accordance with the manufacturer's instruction manual and recommendations. Ventilate building before re-occupying. Following ventilation clean up dead insects.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Avoid skin contact. Avoid inhaling spray mist. Avoid contact with skin, eyes, and clothing. Wash after use. Do NOT remain in treated areas. Ensure proper ventilation after sealed areas have been treated. In meat packing and processing plants, including Federally inspected meat plants, spray only when the plant is not in operation. No exposed meat products, ingredients or packaging materials to be left in the room, and cover food handling equipment. Any treated surfaces that may contact meat food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing.

DO NOT USE ON OR NEAR FOOD. DO NOT CONTAMINATE ANY BODY OF WATER. PRODUCT TOXIC TO FISH. DO NOT SPRAY OR FOG IN PRESENCE OF OPEN FLAME (INCLUDING PILOT LIGHTS) OR SPARK, OR WHILE SMOKING. TURN OFF ELECTRIC HEATING ELEMENTS. FIRST AID:

If in eyes, flush with plenty of water. If on skin, wash with soap and water. This control product contains Petroleum Distillate. If swallowed, do NOT induce vomiting. If patient is unconscious give him air, call a Poison Control Centre or get prompt medical attention. Take container, label or product name and Pest Control Product Registration Number with you

when seeking medical attention.

TOXICOLOGICAL INFORMATION

This product contains a petroleum distillate. DO NOT INDUCE VOMITING. Treat symptomatically.

DISPOSAL AND DECONTAMINATION:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray
- 2. mixture in the tank.
- 3. Follow provincial instruction for any required additional cleaning of
- 4. the container prior to its disposal.
- 5. Make the empty container unsuitable for further use.
- 6. Dispose of the container in accordance with provincial requirements.
- 7. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the, *Pest Control Products Act*, to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label, and subject thereto,

the buyer assumes the risk to persons or property arising from the use or handling of this product, and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.