

96.03.20

RX 500

Disinfectant/Cleaner
Sanitizer/Fungicide
Mildewstat/virucide*

ROBINSON

Prod.#14-3005

Highly concentrated Germicide Based on a Unique Blend of
Quaternaries with Organic Soil Load Tolerance. Deodorizer for
Hospitals, Institutional, and Industrial Use.

READ THE LABEL BEFORE USING

REGISTRATION NO. 24476

PEST CONTROL PRODUCTS ACT

DIN NO. 02210975

COMMERCIAL

GUARANTEE:

| | |
|--|--------|
| Alkyl (40% C12, 50% C14, 10% C16) | |
| dimethyl benzyl ammonium chloride | 5.000% |
| Octyl decyl dimethyl ammonium chloride | 3.750% |
| Dioctyl dimethyl ammonium chloride | 1.500% |
| Didecyl dimethyl ammonium chloride | 2.250% |

DANGER

POISON CORROSIVE

LOT #

Net Contents: 3.8 Litres

Robinson Cleaning & Maintenance Supplies Ltd.
1080 Bellamy Rd. N.,
Scarborough, Ontario
M1H 1H2

Reorder: 1-800-268-4066
1-416-439-9950

Cross-contamination is of major housekeeping concern not only in
hospitals, but in schools, institutions, and industry. RX 500

both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

DIRECTIONS FOR USE

Apply RX 500 to walls, floors and other hard (inanimate) nonporous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - To disinfect hard, nonporous surfaces, add 4 mL/L of water. Treated surfaces must remain wet for 10 minutes. At this use-level, RX 500 is also virucidal and fungicidal.

A O A C Fungicidal Test - This product is effective against Trichophyton mentagrophytes.

Mildewstatic Performance - At 4 mL/L RX 500 will effectively inhibit the growth of mold and mildew and the odours caused by them, on hard nonporous surfaces. Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance* - At 4 mL/L use-level, RX 500 was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes, Simplex, Vaccinia, and Influenza A2 on inanimate environmental surfaces.

Sanitizing - Non Food Contact Surfaces - At 1.5 mL/L use-level, 30 second contact time, RX 500 is an effective sanitizing agent in waters up to 600 ppm hardness against Staphylococcus aureus and Klebsiella pneumoniae.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. DANGER. CORROSIVE TO EYES. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric

lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

EXPIRATION DATE:

33066

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))