

95.10.27

DOMESTIC

500 g

MADE IN CANADA

C-I-L

Garden Weed Preventer

NO-HOE(R)

Granular

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

GUARANTEE: chloramben 4% (present as ammonium salt)

REG. NO. 14556 P.C.P. ACT

NU-GRO CORPORATION  
Woodstock, Ontario N4S 8P6  
Laval, Quebec H7S 1G3  
Calgary, Alberta T2H 2S1

Kills weed seedlings as they sprout. Maintains weed control for 6 to 8 weeks or more, depending on weather conditions.

#### DIRECTIONS

4.5 g = 1 teaspoon  
13.5 g = 1 tablespoon

Apply to soil immediately after cultivation or weeding. It will not kill growing weeds. Do not disturb treated soil. Keep as much off the foliage as possible and do not apply when foliage is wet. Spread a thin, uniform coating over the area to be treated. This package will treat up to 50 m<sup>2</sup>. See individual plant or

crop sections for application rates. If no rain falls within 3 to 4 days after application, water the area lightly to activate the chemical. If no water is available, a very shallow cultivation may be necessary to control emerged weeds. For the second application later in the summer remove any weeds, stir the soil, then spread as recommended. A treatment at this time will prevent most weed growth for the rest of the season. Vegetable beds can be treated only once in a season. Poor weed control and some crop damage may occur in sandy soils if heavy rains should wash the chemical into the soil.

**WEEDS CONTROLLED:** Carpet weed, chickweed, lamb's-quarters, pigweed, purslane, ragweed, smartweed, velvetleaf, barnyard grass, crab grass, foxtails, fall panicum. Sprouts from roots of established perennial weeds are not controlled.

**ESTABLISHED PLANTS:** Perennial flowers, shrubs and trees - Spread on the soil immediately after weeding and cleaning up each bed in the spring. Gladioli (flower production) - Plant corms 10 to 15 cm deep. Make two applications, one at planting and one as a side treatment after reshaping the bed (50 to 70 days after planting). Apply 10 g per m<sup>2</sup>.

**TRANSPLANTED PLANTS:** Annual flowers, perennial flowers and shrubs, tomatoes and peppers: Prepare the bed and set out the transplants as usual. Allow about two weeks to overcome the "shock" of transplanting, and start growing. Pull or hoe out any weeds that have started to grow. Spread evenly, keeping as much off the foliage as possible. Apply 10 g per m<sup>2</sup>. Do not use on pansies.

**SEEDED VEGETABLES:** Asparagus, carrots, snap beans (clay or organic soils only), lima beans, squash and pumpkin: Prepare a good seed bed, then plant the seeds. Treat the same day or within a few days of planting before weeds emerge. NOTE: Do not use on asparagus to be eaten the same year. Emerged seedling asparagus may be treated. The soil must be clean cultivated and free of weeds before treating. Apply 10 g per m<sup>2</sup> for asparagus, lima beans, pumpkin, squash, carrots and snap beans.

**SIDE TREATMENT FOR POTATOES:** Apply after hilling when potatoes are 15 to 20 cm in height. Apply 10 g per metre.

**LIST OF ANNUAL AND PERENNIAL FLOWERS, SHRUBS AND TREES** which will not be injured when directions are followed. Ash, aster, azalea, celosia, chrysanthemum, dahlia, daylily, iris, english ivy,

juniper, marigold, peony, petunia, privet, rhododendron, rose, snapdragon, spiraea, white cedar, yew and zinnia. NOTE: Do not use on seeded flowers prior to emergence, as many will be injured.

PRECAUTION: Avoid contact with skin, eyes and clothing. Avoid unintentional mixing with and do not store near fertilizer, seeds, insecticides, fungicides or other herbicides. Avoid contamination of any body of water.

Keep children and pets off treated area during application and until area has been watered and allowed to dry.

DISPOSAL: Dispose of empty container with household garbage.

NOTICE OF BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product, and accepts the product on that condition.

Patented in 1966. C-I-L is a trademark of ICI Canada Inc. NU-GRO Corporation is a Registered User

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))