

2000/2001

NET CONTENTS 22.7 LITRES

**MAINTAIN®
CF 125
EMULSIFIABLE CONCENTRATE**

PLANT GROWTH RETARDANT

FOR GRASSES, BROADLEAF WEEDS, TREES AND BRUSH

COMMERCIAL

READ THE LABEL BEFORE USING

REGISTRATION NO. 13,059, PEST CONTROL PRODUCTS ACT

GUARANTEE:

Chlorflurecol-Methyl.....86 grams per litre
Flurecol-Methyl.....21 grams per litre
Diehlorflurecol-Methyl..18 grams per litre

Uniroyal Chemical Ltd.
**Elmira, Ontario N3B 3A3
Calgary, Alberta T2E 7A7**

24 HOUR EMERGENCY PHONE: (519)744-3060

**MAINTAIN® CF 125
PLANT GROWTH RETARDANT**

GRASS SPECIES EFFECTIVELY RETARDED WITH MAINTAIN CF 125: Creeping red fescue, Kentucky bluegrass, couch grass, red-top, ryegrass, smooth brome, intermediate wheatgrass, timothy, wild barley.

BROADLEAF WEED SPECIES EFFECTIVELY CONTROLLED WITH MAINTAIN CF 125: Black medic, bladder campion, chickweed, cinquefoil, clovers, dandelion, docks, plantain, and similar miscellaneous species.

DIRECTIONS FOR USE

GRASSES, BROADLEAF WEEDS

USES: **MAINTAIN CF 125** effectively retards many grasses and controls broadleaf weeds.

WHERE TO USE: Rights of way, median strips, culverts, guard rails, around sign posts, under security fences, sub-stations, and ditch or steep banks.

WHEN TO USE: On established turf best results are obtained when treatments are applied in the spring when grasses are just beginning to green up, and are 5 to 8 cms high, or 3 to 5 days after first spring mowing in situations where ample rainfall promotes rapid and sustained summer regrowth. Applications may be made throughout the growing season for effective broadleaf weed control.

RATES: Use 22 to 35 litres of **MAINTAIN CF 125** per hectare, or a combination of 11 litres of **MAINTAIN CF 125** plus 5.6 kg of maleic hydrazide (3.36 kg ai) per hectare in 500 L/ha of spray solution.

Even application to insure uniform wetting of grass and herbaceous weed foliage is essential for most effective results.

The combination gives the user the benefit of the separate retarding action of each material, plus an increase in effectiveness over either material used independently.

MAINTAIN CF 125 should be well mixed with water before maleic hydrazide is added. Continue agitation during spraying operation.

Do not mow turf and weeds until all evidence of growth retardation has disappeared. Early mowing will reduce the effectiveness of growth retardant treatment.

TREES & BRUSH

USES: **MAINTAIN CF 125**, applied to the foliage, effectively retards the growth of most trees and brush.

WHERE TO USE: On trees and brush growing under utility lines, as screens or ground cover adjacent to highways, in hedge rows and parks.

WHEN TO USE: A foliage spray should be made after a flush of growth or after pruning and the new leaves have fully developed so that the plant has the desired density, size and shape. Tender new growth may curl or twist. Flowering species treated before bud expansion may have a blossom reduction.

MAINTAIN CF 125 will effectively retard woody plant growth for two months and up to a

year or more on deciduous hardwoods.

Gymnosperms (conifers, etc.) must be treated before buds expand in order to prevent distortion of new growth. Treatment when candles are tender often causes developing branches to droop.

RATES: 1 L/1000 L of water = m/L

Deciduous Hardwood L/1000 L water

- Ash.....1-3
- Aspen.....1-3
- Elm, American.....1
- Linden.....1-3
- Maple, Norway.....1/3
- Maple, Sugar.....2
- Maple, Sycamore.....1/3
- Oak.....1
- Poplar.....1-3
- Gymnosperms
- Fir.....1/3
- Pine.....1/3-1

MAINTAIN® CF125

CAUTION:

- Harmful if swallowed.**
- May cause irritation of eyes, nose, throat and skin.**
- Avoid breathing spray mist.**
- Avoid contact with skin and clothing.**
- Wash hands, face and clothing after use.**
- Avoid contamination of food and feedstuffs.**

FIRST AID INSTRUCTIONS

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IMPORTANT

Care should be taken to confine the use or application to the particular area intended to be treated.

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Use only on noncropland. Do not treat woody plants used for food production.

STORE ABOVE 4EC. DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

NOTICE TO USER

This control product is to be used only in accordance with the directions of this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Contains Chlorflurecol, a product of Celamerck, GmbH & Co. KG, Ingleheim, Fed. Rep. of Germany

®Registered trademark of UNIROYAL Ltd.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))