

01-FEB-2002

(CARTON)

**C-I-L®
Concentrate Insecticide
DIAZINON 12.5**

FREE Measuring Cup Enclosed

DOMESTIC

REG. NO. 11913 P.C.P. ACT

GUARANTEE: Diazinon 125 g/L

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL AND BOX BEFORE USING

500 mL

Nu-Gro IP Inc.,
10 Craig Street
Brantford, ON
N3R 7J1

KEEP BOX FOR DIRECTIONS AND SAFE HANDLING INSTRUCTIONS.

For Control Of Garden Insects: Mix at the rate of 5 mL per litre of water unless otherwise indicated. Spray attacked crops thoroughly. Repeat applications as necessary.

DIRECTIONS: 5 mL = 1 teaspoon 15 mL = 1 tablespoon

Insect Pests Controlled: Aphids, Carrot Rust Fly, Caterpillars, Colorado Potato Beetle, European Pine Shoot Moth, Flea Beetle, Fruit Flies, Leafhoppers, Leafminers, Mealybugs, Mites, Rose Chafer, Scale Insects (crawler stage), Thrips and Cutworms (climbing and subterranean). For Cutworm control, apply 325 mL in 50 L of water per 100 m² of garden immediately before planting and mix uniformly into the top 8 to 10 cm of soil, 8 to 15 cm for subterranean Cutworms.

Ornamentals: Aralia, Arborvitae, Azalea, Birch, Boxwood, Carnations, Chrysanthemums, Holly, Ivy, Oak, Juniper, Pines, Roses, Taxus.

Fruits: Apples, Apricots, Cherries, Grapes, Peaches, Pears, Plums, Strawberries.

Vegetables: Beans, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Cucumber, Kohlrabi, Lettuce, Melon, Onions, Parsnips, Potatoes, Peppers, Radishes, Turnips, Spinach, Squash, Swiss Chard, Tomatoes.

NOTE: Do not apply to a food crop within 10 days of harvest except as noted: Tomatoes - 1 day; Strawberries, Broccoli, Cauliflower and Peppers - 5 days; Cabbage, Cucumbers and Snap Beans - 7 days; Apples, Pears, Potatoes and Beets - 14 days; Grapes - 16 days; Peaches - 20 days.

Lawn Insects Controlled:

FOR SPOT APPLICATION ONLY: **Ants, Sod Webworms (Lawn Moths)** - Mix 3.0 to 6.0 mL in 1 L of water. Apply 1 L per m² only in areas of infestation. **Chinch Bugs** - Mix 3.6 to 7.2 mL per 1 L of water. Apply 1 L per m². Use for spot treatment only in areas of infestation. Water lightly before and after application. **Earwigs** - Mix 44 mL per litre of water. Apply 1 L per m². For spot treatment only in areas of infestation.

BROADCAST APPLICATION: White Grubs (suppression) - When sampling indicates that white grub larvae are actively feeding in the root zone, mix 360 mL in 50 L of water and apply to 100 m². Do

not use in areas where the thatch is more than 3 cm thick. Water in thoroughly after treatment.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Vapours harmful. May be fatal if swallowed. Do not get into eyes. Concentrated material causes eye irritation. Avoid contact with skin or inhalation of spray mist. Wash thoroughly after handling. Avoid contamination of food and feed. Use only as recommended on label. This product is toxic to fish and wildlife. Do not contaminate domestic or irrigation water supplies, lakes, streams and ponds. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment. When applying to lawns wear a long-sleeved shirt, long pants, shoes and socks and chemical resistant (e.g. rubber) gloves during handling, application and watering-in. Rinse gloves before removal. Do not treat areas greater than 450 m² (5000 sq. ft.) in one day. Keep people off treated lawns for 24 hours following application and watering-in.

FIRST AID: DANGER - This product contains a petroleum distillate. **If swallowed,** DO NOT induce vomiting. Get medical attention immediately. If patient is unconscious, give him air. **If in eyes,** flush with water for 15 minutes, then get medical attention. **If on skin,** wash with plenty of soap and water. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Stomach lavage. Diazinon is a cholinesterase inhibitor. Antidote - Atropine sulphate at 1-2 milligrams every 15 minutes may be necessary.

DISPOSAL: Triple rinse container into sprayer and dispose of empty container and measuring cup with household garbage. Do not reuse container.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

www.cil.nu-gro.com

C-I-L Oval® ICI Canada Inc. / Lic.Nu-Gro.

(BOTTLE)

C-I-L®
DIAZINON 12.5
CONCENTRATE INSECTICIDE

DOMESTIC

REG. NO. 11913 P.C.P. ACT

GUARANTEE: Diazinon 125 g/L

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL AND BOX BEFORE USING

250 mL (500 mL)

Nu-Gro IP Inc.
10 Craig Street
Brantford, Ontario
N3R 7J1

KEEP BOX FOR DIRECTIONS. SAFE HANDLING INSTRUCTIONS:

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Vapours harmful. May be fatal if swallowed. Do not get into eyes. Concentrated material causes eye irritation. Avoid contact with skin or inhalation of spray mist. Wash thoroughly after handling. Avoid contamination of food and feed. Use only as recommended on label. This product is toxic to fish and wildlife. Do not contaminate domestic or irrigation water supplies, lakes, streams and ponds. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment. When applying to lawns wear a long-sleeved shirt, long pants, shoes and socks and chemical resistant (e.g. rubber) gloves during handling, application and watering-in. Rinse gloves before removal. Do not treat areas greater than 450 m² (5000 sq. ft.) in one day. Keep people off treated lawns for 24 hours following application and watering in.

FIRST AID: DANGER - This product contains a petroleum distillate. **If swallowed,** DO NOT induce vomiting. Get medical attention immediately. **If patient is unconscious,** give him air. **If in eyes,** flush with water for 15 minutes, then get medical attention. **If on skin,** wash with plenty of soap and water. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Stomach lavage. Diazinon is a cholinesterase inhibitor. Antidote - Atropine sulphate at 1-2 milligrams every 15 minutes may be necessary.

DISPOSAL: Triple rinse container into sprayer and dispose of empty container and measuring cup with household garbage. Do not reuse container.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

www.cil.nu-gro.com

C-I-L Oval® ICI Canada Inc. / Lic. Nu-Gro.

This label transcript service is offered by the Pest

Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))

