

86.12.04

KEMSAN MAKI* BAIT BLOCK RODENTICIDE

COMMERCIAL

NET CONTENTS 454 g

GUARANTEE: BROMADIOLONE.....0.005%

REGISTRATION NO. 19281 PEST CONTROL PRODUCTS ACT

WARNING: POISON

READ THE LABEL BEFORE USING

KEMSAN INC.
P.O. BOX 727
OAKVILLE, ONTARIO
L6J 5C1
TELEPHONE (416) 845-2271

FORMULATING A BETTER FUTURE FOR YOU.

MAKI* REG'D TM OF CHEMPAR PRODUCTS DIVISION OF LIPHA CHEMICALS
INC.

KEMSAN AND KS ARE REG'D TM'S OF KEMSAN INC.

A weather resistant Rodenticide Block for the control of rats and mice. Rodents may consume a lethal dose in one feeding.

DIRECTIONS: Place blocks in inaccessible locations in areas such as along walls, in corners, near rat holes, and in concealed areas where rats and mice feed, water or travel. Check daily to make sure that an uninterrupted supply of bait is available for at least 15 days. Continue baiting until all signs of feeding have stopped. Rats: break and place 4 to 16 blocks 6 to 9 m apart. Mice: Break and place single blocks 2 to 3 m apart. For Burrow Application, place one or two pieces per burrow.

To prevent reinfestation, eliminate food, water and harbourage. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

In meat packing and food processing plants, use only when plant is not in operation. Remove or cover all food, packaging materials and utensils before placing baits. Remove all baits and dead rodents before reuse of plant for food processing.

PRECAUTIONS: Keep bait away from human beings, domestic animals and pets. Do not contaminate feed or food. Burn or bury bodies of dead rodents. Do not contaminate any body of water. Discard empty containers in household garbage.

FIRST AID: If swallowed, give patient one or two glasses of water and cause vomiting by inserting a finger down the throat. Repeat until vomit fluid is clear. Call a physician immediately.

TOXICOLOGICAL INFORMATION: If swallowed, chemical reduces clotting ability of the blood and may cause internal bleeding. Intravenous and oral administration of vitamin K1 combined with blood transfusions are indicated, as in the case of haemorrhage caused by overdoses of dicumarol.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out in the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

KEEP OUT OF REACH OF CHILDREN.

CODE 8210

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))