

TICK ARREST

TICK COLLAR FOR DOGS

DOMESTIC
GUARANTEE

Amitraz: N'-(2,4 dimethylphenyl)-N[[(2,4 dimethylphenyl)imino]
methyl]-N-methylmethanimide.....9.0%

KEEP OUT OF REACH OF CHILDREN

WARNING, MAY CONTAIN SOYBEAN OIL.

READ THE BOX LABEL BEFORE USING

REG. NO. 25247

PCP ACT

NET CONTENTS 27.5 g

Made in France for:
Virbac AH, Inc.,
P.O. Box 162059,
Consumer Brands Division
Fort Worth, Texas 76161 USA

Distributed by:
2417 Saint Charles Road,
Saint Lazare, Quebec, J7T2J1

255122C-02

FrancoDex TICK ARREST(tm)

TICK COLLAR FOR DOGS

FITS NECK SIZE UP TO 62CM.

DOMESTIC
GUARANTEE

Amitraz.....9.0%

KEEP OUT OF REACH OF CHILDREN
WARNING: MAY CONTAIN SOYBEAN OIL

READ CARTON LABEL BEFORE USING

REG. NO. 25247
PCP ACT

NET CONTENTS
One Collar

FRANCODEX TICK ARREST TICK COLLAR FOR DOGS

Adjustable - Fits dogs up to 62 cm neck size.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT

APPLY TO CATS. Consult a veterinarian before use on pregnant

females, on sick animals or on animals under drugs or other

pesticide treatment. Do not use on nursing females or on

animals under 12 weeks of age. Remove collar if signs of

adverse reaction or skin irritation occur and shampoo dog

thoroughly to remove residue. Wash hands after handling collar.

TOXICOLOGICAL INFORMATION: If a dog ingests a Tick

Arrest Collar, Yohimbine, 0.1mg/kg by intravenous injection is

antidotal. Repeat as needed. DIRECTIONS FOR USE:

DETACHES, INHIBITS FEEDING AND KILLS AMERICAN AND

BROWN DOG TICKS. Place the Tick Arrest Collar around the dog's

neck, buckle and adjust for secure fit ensuring that collar is worn

tightly enough that the dog cannot remove it. The collar must be

worn loosely enough so that two fingers may be placed between

the collar and the dog's neck. If the collar is worn too tightly, it

may produce neck irritation. Cut off and dispose of excess

length. Do not allow dog or children to play with the cut-off

excess. Activity against ticks starts within 24 hours and

continues for up to 60 days. Ticks present in the dog's

environment that may reappear on your pet will be prevented

from feeding and killed by the action of this collar. Replace collar

when effectiveness diminishes. Remove collar before bathing.

The Tick Arrest Collar is not effective against fleas. Therefore,

use other means for control of fleas. For effective tick control,

treatment of the pet should be combined with sanitation of any

area used by the pet. Vacuum floors, carpet and furniture

(discard vacuum bag after use) and wash the pet's bedding,

living quarters and surrounding areas. If pest problems persist,

an insecticidal premise treatment may be required. FIRST

AID: Wash hands with soap and water after contact with skin.

If contact with eyes, rinse with water and contact a physician or poison control center if irritation occurs. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention STORAGE: Store in a cool dry area. DISPOSAL: Do not reuse empty pouch, box or collar. Wrap in newspaper and put in trash collection.

Made in France for
Virbac, Inc.
P.O. Box 162209,
Fort Worth, Texas, USA 76161-2209
Questions? Call (817) 831-5044
230439C-01

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.