

88.03.10

DIAZINON-LINDANE PLUS CAPTAN SEED TREATMENT

DRILLBOX

COMMERCIAL POWDER

NET WEIGHT 320 g

TREATS 4 UNITS (100 kg) OF SEED

Diazinon and Lindane for control of seed and root maggots and wireworms, plus Captan to supplement previous fungicide treatment for seedling blight and seed rot. For corn, soybeans, peas and beans.

GUARANTEE:

DIAZINON	10%
GAMMA BHC (FROM LINDANE)...	17%
CAPTAN.....	10%

READ THE LABEL BEFORE USING

REGISTRATION NO.: 13656
PEST CONTROL PRODUCTS ACT

DANGER POISON

WARNING: Exposure to captan may produce long-term health effects. To minimize exposure follow directions outlined on this label.

CIBA-GEIGY CANADA LTD.
Agriculture Div.
6860 Century Avenue
Mississauga, Ontario
L5N 2W5

DRILLBOX DIAZINON-LINDANE PLUS CAPTAN SEED TREATMENT POWDER

An insecticide-fungicide Drillbox Seed Treatment Powder for

control of seed and root maggots and wireworms on corn, soybeans, peas and beans. Contains Captan to supplement previous fungicide treatment for seedling blight and seed rot control. Use this product only on seeds of corn, soybeans, peas, and beans previously treated with a fungicide (Captan, Thiram, etc.). Do not use on seeds previously treated with an insecticide for maggot or wireworm control.

DIRECTIONS FOR USE: Mix 80 g with each 25 kg of seed, at or near planting time, in one of the following ways:

1. To the seed in a box, tub, 20 litre pail or other suitable container, add the proper amount of D-L plus Captan Seed Treatment Powder. Mix thoroughly so that each seed is coated with the Seed Treatment. Do not use bare hands.
2. Dust the proper amount of D-L plus Captan Seed Treatment Powder over the seed as it is being poured into the seed box on the planter. Stir thoroughly with a paddle or stick until each seed is thoroughly and uniformly covered. Do not use bare hands.

D-L plus Captan Seed Treatment Powder should be applied to seed already treated with a fungicide or used in conjunction with a recommended fungicide at planting time. If not seeded immediately seed within one month of treatment.

CAUTION: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Avoid spilling on skin or clothing. Do not breathe dust. When treating, augering or handling treated seed, work in a well-ventilated area, and wear a respirator, goggles, and gloves. Do not contaminate food or feed. When handling or applying, wear clothing that completely covers arms and legs to minimize exposure. Change contaminated clothing daily and wash thoroughly before re-use. Wash hands, face and arms thoroughly after handling this product and before drinking, eating or smoking. Shower after use or at the end of the work day. If an accident occurs, remove contaminated clothing and wash skin thoroughly with soap and water. Wash clothing and gloves before re-use. Always work out of the wind during mixing and loading operations. Keep unprotected persons out of operating area or vicinity where there may be drift. Do not contaminate any body of water. Product is toxic to fish

and wildlife. Avoid treating in areas inhabited by wildlife. Treated seed should be tagged as follows: "POISONOUS TO MAN AND ANIMALS. THIS SEED HAS BEEN TREATED WITH DIAZINON AND LINDANE FOR INSECT CONTROL AND CAPTAN FOR DISEASE CONTROL. DO NOT USE FOR FOOD OR FEED OR OIL PURPOSES."

FIRST AID: In case of poisoning, call a physician immediately. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water. IF IN EYES, flush with water for 5-10 minutes and obtain medical attention. IF SWALLOWED, give the patient one to two glasses of water and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, give the patient one to two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with the head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

TOXICOLOGICAL INFORMATION: Diazinon may cause cholinesterase inhibition. If poisoning occurs get prompt medical aid. Atropine is antidotal.

DECONTAMINATION AND DISPOSAL: Crush, break and bury containers in non-crop land away from water supplies, or deliver them to sanitary land-fill dumps in accordance with municipal requirements. For additional details on disposal of containers and rinsings and for information about the appropriate means of disposal of unused, unwanted product, contact the regional office of the Environmental Protection Service, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))