

91.11.08

CHLORYTE(R)

CONTROLS BACTERIA & ALGAE  
IN SWIMMING POOL WATERS

CHLORINATING GRANULES

REG. NO. 17515 P.C.P. ACT

GUARANTEE:

Calcium Hypochlorite ..... 65%  
Available Chlorine Content .. 65%

READ THE LABEL BEFORE USING

DOMESTIC

WARNING

POISON CORROSIVE

NET CONTENTS  
2.5 kg

SASKATOON CHEMICALS LTD.  
P.O. BOX 1586  
SASKATCHEWAN, CANADA S7K 3R3

PRECAUTIONS:

Keep out of reach of children. \* Strong oxidizing agent. May cause fire or explosion if contaminated. \* Dangerous gas formed when mixed with acid. \* Do not mix with any other chemical. \* Avoid contact with skin and eyes. \* Harmful or fatal if swallowed. \* Keep container closed and store in a cool, dry location. \* Rinse container thoroughly before discarding. Do not reuse. \* To dispose of chemical, flush into sewer with large quantities of water.

FIRST AID:

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink 2 or 3 glasses of milk water. Call a physician

IMMEDIATELY.

DIRECTIONS FOR USE

1. Maintain recommended daily level as determined by testing kit:

Free Available Chlorine .....1.0 - 3.0 ppm  
pH.....7.2 - 7.8  
Total Alkalinity. ....80 - 120 ppm  
Calcium Hardness ..... 200 - 300 ppm

2. To minimize bleaching of vinyl liners, predissolve required amount of Chloryte in a plastic pail with concentration not exceeding 1 kg per 10 litres of water. Always add chemical to water NEVER water to chemical. Broadcast resulting slurry directly to pool water.
3. Initially, superchlorinate pool water with 150 g Chloryte per 10,000 litres of pool water. For best results superchlorinate at dusk.
4. Maintain proper chlorine residual by broadcasting daily over the pool surface, 30 g of Chloryte per 10,000 L of pool water, or as needed.

NOTE: Hot weather, heavy pool usage and rain, may require higher usage rates to maintain proper chlorine residuals.

5. Superchlorinate weekly using 150 g per 10,000 L when average daily temperature is 25'C - 32'C. Otherwise, superchlorinate every other week.
6. For visible algae superchlorinate using 350 g of Chloryte per 10,000 L of pool water. Heavy algae infestation may require dosages up to 500 g per 10,000 L. Vacuum pool when dead algae settles.

NOTE: For outdoor pools, chlorine residuals can be protected from destruction by sun's rays by addition of stabilizer (cyanuric acid).

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))