

95.04.24

SANEX(R)

BROMONE
RODENTICIDE 1%
DRY CONCENTRATE

For use in manufacturing and formulating other registered end-use products

NET CONTENTS: 1 kg (5 kg) (10 kg) (50 kg)

GUARANTEE:

BROMADIOLONE 1.0%

READ THE LABEL BEFORE USING

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 22151
PEST CONTROL PRODUCTS ACT

Sanex Agro Inc.
36 Head Street
Dundas, Ontario
L9H 3H3
(905) 627-9205

DIRECTIONS FOR USE:

To be used only in the manufacture of a rodenticide baits which are registered under the Pest Control Products Act. These products may only be used for the control of House Mice (*Mus musculus*), the Norway Rat (*Rattus norvegicus*), and the Roof Rat (*Rattus rattus*). Read the technical data bulletin for formulation and information details on spills, protective equipment, and health precautions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM HUMANS DOMESTIC ANIMALS AND PETS. Harmful if swallowed or absorbed through the skin. This product can be absorbed through the skin and it should be handled with appropriate protective gloves. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking. This product is toxic to wildlife. The use of anticoagulant formulations can pose a significant hazard to predatory mammals and birds through secondary poisoning. Do not contaminate water by cleaning equipment or disposal of wastes. Keep out of lakes, streams or ponds.

TOXICOLOGICAL INFORMATION:

If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K1 in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

FIRST AID:

Do not get in eyes, on skin, or on clothing. In case of contact with eyes flush with potable water for a minimum of 15 minutes. In case of contact with skin wash with soap and water and rinse with clean fresh water for a minimum of 15 minutes. If swallowed,, give patient one or two glasses of water and induce vomiting by touching back of the throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Call a physician or Poison Control Centre immediately.

STORAGE, DECONTAMINATION & DISPOSAL:

STORAGE: Keep in original container during storage. Store product in cool, dry, well ventilated place away from seed feed, fertilizer, or other pesticides. Keep away from fire or open flame, or other source of heat.

DECONTAMINATION AND DISPOSAL: Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

(R) Registered trademark of Sanex Agro Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))