

94.10.28

Pamphlet
Potatoes Only

THIMET* 15-G

SOIL AND SYSTEMATIC INSECTICIDE

GRANULAR

(Mesh 710/300 pm)

contains phorate

CYANAMID

RESTRICTED

(NOT FOR USE IN BRITISH COLUMBIA)

GUARANTEE: phorate 15%

REGISTRATION NO. 17087 PEST CONTROL PRODUCTS ACT

DANGER POISON

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT
1-800-454-2673

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL AND PAMPHLET BEFORE USING

Net Weight 20 kg

CYANAMID CANADA INC.
MARKHAM, ONTARIO L3R 6E6

24641-58

*Registered trademark of Cyanamid Canada Inc.

BEFORE USING
ANY PESTICIDE
STOP
READ
THE LABEL

DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING

RAPIDLY ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT
SYMPTOMS PROGRESSIVELY INCREASE SUSCEPTIBILITY
TO POISONING

DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before re-use. Wash thoroughly with soap and water before eating, drinking, or smoking. Bathe at the end of the work day and change outer clothing.

DO NOT BREATHE DUST. While emptying container into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.

KEEP ALL UNPROTECTED PERSONS OUT OF OPERATING AREAS.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME. This product is to be stored or displayed AWAY from food and feed. Store open bags in labelled sealed drums or heavy plastic bags.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HIGHLY TOXIC TO FISH, BIRDS AND OTHER WILDLIFE. Do not contaminate any body of water nor apply to any area not specified on the label.

DISPOSAL AND DECONTAMINATION INSTRUCTIONS:

WARNING:

Since alcohols are involved in the decontamination procedure
AVOID smoking, open flames and sparks in the operating area.

Keep unprotected persons out of the contaminated area. PERSONAL PROTECTIVE EQUIPMENT: The prescribed clothing for persons involved with cleaning up spills consists of a hat, overalls, rubber apron, rubber boots and rubber gloves. DO NOT ALLOW product to contact eyes and skin. Launder clothing and clean protective equipment after use.

PROCEDURE FOR DECONTAMINATION OF SURFACES:

1. To minimize dust formation, cover spilled granules with an absorbent material such as sweeping compound. Sweep up the granules and place in a tightly closed labelled container. Store in a secure place away from food, feed and access to children. Contact Cyanamid Canada Inc., or the regional offices of Environmental Protection, Environment Canada to obtain details on how to detoxify product. Granules that remain in a broken bag should be transferred to a clearly marked, tightly closed alternate container and used in accordance with label instructions.
2. Dispose of broken bags in accordance with provincial requirements but DO NOT BURN. Dispose of empty alternate containers in accordance with provincial requirements.
3. Wash the surface with a bleach decontamination solution prepared by mixing nine (9) litres water with one (1) litre commercial bleach and one-half (0.5) litre of rubbing alcohol. Rinse with clean water. Clean up the liquid with absorbent material such as sawdust, sweeping compound, rags or other materials.
4. Repeat the washing with the bleach solution and water and clean up the liquid as instructed in point 3.
5. Dispose of the contaminated absorbent material in accordance with provincial requirements.
6. Wash disposal equipment with the bleach decontamination solution and rinse with clean water.
7. If spill occurs on the ground, collect the material and dispose of it as described in point 1. Treat the affected area with the decontamination solution and cover with clean soil.

DISPOSAL:

BAG: Thoroughly empty the contents of the bag into the application device. Make empty bag unsuitable for further use. Dispose of empty bags in accordance with Provincial requirements. For further information on the disposal of unwanted and unused product contact the regional office of Environmental Protection, Environment Canada.

RETURNABLE CONTAINER: Return empty container to point of purchase.

POISON

FIRST AID

ATROPINE IS AN ANTIDOTE

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, drink one to two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before re-use.

TOXICOLOGICAL INFORMATION

WARNING SYMPTOMS include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously depending on severity of poisoning, 2 to 4 milligrams every 10 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty or thirty milligrams, or more may be required during the first 24 hours. Never give opiates, phenothiazine, tranquilizers or other depressants. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM: PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NATURE OF REGISTRATION

This product is to be stored and displayed APART from food and feed.

- Wear protective clothing and rubber gloves while handling product.
- Do not handle product with bare hands.
- Do not breathe dust. Use of a dusk mask is recommended.
- Cover granules that may be exposed on the ends of the treated rows, turns and field loading areas. Make sure that the hoppers of equipment are emptied while still in the field.
- Not to be applied by aircraft.

RESTRICTED USES

RECOMMENDATION FOR USE ON CROPS

THIMET 15-G should be applied with a granular pesticide applicator properly calibrated to ensure accurate placement and proper dosage.

| CROP | PESTS CONTROLLED | g/100 M |
|----------|------------------------|-------------|
| Potatoes | Aphids, leafhoppers | 140 |
| | leaf miners, psyllids | in sandy or |
| | tuber flea beetles and | light soils |
| | reduction of potato | 215 |
| | flea beetle and | in silt or, |
| | wireworm damage, | heavy soils |
| | Colorado potato beetle | |
| | (early season control) | |

APPLICATION

Distribute the granules evenly in the furrow or be banded on each side of the row planting time.

REMARKS

Do not use in muck soils. Do not apply later than at planting. granules may Do not harvest potatoes before 90 days after at planting.

Jug Potatoes Only

THIMET* 15-G

SOIL AND SYSTEMATIC INSECTICIDE

GRANULAR

(Mesh 710/300 pm)

contains phorate

CYANAMID

RESTRICTED

(NOT FOR USE IN BRITISH COLUMBIA)

GUARANTEE: phorate 15%

REGISTRATION NO. 17087 PEST CONTROL PRODUCTS ACT

DANGER POISON

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT

1 -800-454-2673

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND PAMPHLET BEFORE USING

Net Weight 20 kg

CYANAMID CANADA INC.

MARKHAM, ONTARIO. L3R 6E6

24641-58

*Registered trademark of Cyanamid Canada Inc.

BEFORE USING
ANY PESTICIDE

STOP READ
THE LABEL

DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING

RAPIDLY ABSORBED THROUGH SKIN
REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT
SYMPTOMS PROGRESSIVELY INCREASE SUSCEPTIBILITY
TO POISONING

DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before re-use. Wash thoroughly with soap and water before eating, drinking, or smoking. Bathe at the end of the work day and change outer clothing.

DO NOT BREATHE DUST. While emptying container into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.

KEEP ALL UNPROTECTED PERSONS OUT OF OPERATING AREAS.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME. This product is to be stored or displayed AWAY from food and feed. Store open bags in labelled sealed drums or heavy plastic bags.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HIGHLY TOXIC TO FISH, BIRDS AND OTHER WILDLIFE. Do not contaminate any body of water nor apply to any area not specified on the label.

RETURNABLE CONTAINER: Return empty container to point of purchase.

POISON

FIRST AID

ATROPINE IS AN ANTIDOTE

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, drink one to two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before re-use.

TOXICOLOGICAL INFORMATION

WARNING SYMPTOMS include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously depending on severity of poisoning, 2 to 4 milligrams every 10 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty or thirty milligrams, or more may be required during the first 24 hours. Never give opiates, phenothiazine, tranquilizers or other depressants. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM: PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest

Control Products Act to use a control product under unsafe conditions.

NATURE OF REGISTRATION

This product is to be stored and displayed APART from food and feed.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))