96.08.23

Veterinary use only

Lice-Guard

## FOR BEEF, LACTATING AND NON-LACTATING DAIRY CATTLE

READY TO USE

CONTROLS: BITING LICE AND HORN FLIES AND AS AN AID IN THE CONTROL OF SUCKING LICE.

GUARANTEE: PERMETHRIN.....1.0%

KEEP OUT OF REACH OF CHILDREN. READ THE LABEL BEFORE USING. STORE PRODUCT IN THE ORIGINAL CONTAINER. KEEP TIGHTLY CLOSED.

> REGISTRATION NO. 23777.01 PEST CONTROL PRODUCTS ACT

> > 10 L

Hoechst Canada (1996) Inc. 295 Henderson Drive, Regina, Saskatchewan S4N 6C2

## Lice Guard

DIRECTIONS FOR USE: Lice Guard is ready to use. No dilution is necessary. For control of biting lice and horn flies. Apply 15 mL (1/2 fl. oz) per 45 kg (100 lbs) body weight up to a maximum of 150 mL (5 fl.oz.) for any one animal. Pour along the back and down the face taking care to avoid the eyes, nose and mouth. Alternatively Lice-Guard may be applied to the face with a cloth that is slightly moistened with the product. Repeat treatment as needed but not more than once every 2 weeks. For optimum control of lice, two treatments 14 days apart are recommended. Leave a one day interval between last application and slaughter. PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN: For dairy cattle, DO NOT use this product in combination with any other permethrin product. Harmful if swallowed, inhaled, absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist. Use with adequate ventilation. Wear protective clothing during applications. If irritation appears, discontinue use. Withhold application 24 hrs. before slaughter. Wash contaminated clothing before reuse. Do not contaminate feed, food, or litter. Do not contaminate food handling equipment. Store in original container away from feed and food. Do not contaminate any body of water. Highly toxic to crabs, fish and shrimp. Harmful to wildlife if allowed to contaminate lakes and streams. Do not use in areas where bee-keeping equipment or supplies are stored, or where milk is stored or processed.

DISPOSAL PROCEDURES: Do not reuse container. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

FIRST AID: If on skin, wash thoroughly with soap and water. If in eyes, flush with clear water for 15 minutes; get medical attention. If swallowed do not induce vomiting. Call physician or Poison Control Centre immediately. Product contains Petroleum Distillate.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

## \*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))