

96.02.27

GREEN CROSS (R)

KILLEX(R) GREEN CROSS  
LAWN WEED KILLER

DOMESTIC

LIQUID HERBICIDE

NET CONTENTS: 1 L

GUARANTEE:

2,4-D.....	95 g/L
Mecoprop.....	18.75 g/L
Dicamba.....	4.75 g/L

(Present as Amines)

READ THE LABEL BEFORE USING

CAUTION

POISON

WARNING - EYE IRRITANT

REG. NO.: 18,273

P.C. P. ACT

The Solaris Group  
A Unit of Monsanto Canada Inc.  
600 - 25 Watline Avenue  
Mississauga, Ontario  
L4Z 2Z1

Controls: dandelions, plantain, chickweed, clover, black medick (yellow clover), heal-all, ground ivy (creeping Charlie), knotweed, ragweed, shepherd's-purse, and many other common weeds of turf.

DIRECTIONS:

1. Mix 6 mL\* of KILLEX GX per litre of water.

2. Spray 20 litres of mixture evenly over 100 m<sup>2</sup>.
3. Apply in late spring or early fall on actively growing weeds. Avoid applications during long dry periods. Repeat as necessary.
4. Fertilize and water lawn after weeds are killed to fill any bare spots.

\*5 mL = 1 teaspoon.

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid contacting skin, eyes and clothing. Avoid spray drift onto susceptible plants. Spray injurious to many cultivated species. Do not apply when rain is expected. Do not water within 24 hours of spraying. Do not use on bentgrass varieties. Do not use same sprayer for other uses. Do not apply to newly seeded lawns until after 3rd mowing. Do not store near seeds, fertilizers, insecticides or fungicides.

#### Protective Clothing:

- Wear long-sleeved shirt, long pants, socks and chemical-resistant (e.g., rubber) gloves.

#### Operator Use Precautions:

- Rinse gloves before removal.
- Wash hands before eating, drinking, using tobacco or using the toilet.
- If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing.
- Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower.
- Re-use gloves for pesticide application only.

#### Re-entry Interval:

- Do not allow people (other than the applicator) or pets on the treatment area during application. Do not enter treated

areas until spray has thoroughly dried.

Maximum Application Frequency:

- For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

FIRST AID:

If swallowed, induce vomiting. Obtain prompt medical attention or contact a Poison Control Centre. If in eyes, flush with clear water. If on skin, wash with soap and water.

DISPOSAL:

Do not reuse container. Wrap in newspaper and dispose of empty container with household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

(R) Registered trademark of Monsanto Company, Monsanto Canada Inc. licensee

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))