

06-APR-1998

DOMESTIC

PC

PRESIDENT'S CHOICE (R)

Ready-to-Use

PREMIUM

SPOTWEED KILLER

READ THE LABEL BEFORE USING

GUARANTEE: 2,4-D.....3.0 g/L
 Mecoprop (D-isomer)..3.0 g/L
 Dicamba.....0.3 g/L
 (All present as amines)

REGISTRATION NO. 25412 PEST CONTROL PRODUCTS ACT

1 L

Prepared For:
Sunfresh Limited
Toronto, Canada
M4T 2S8

READY-TO-USE:

CONTROLS: Bedstraw, Black Medick (Yellow Clover), Buttercup, Chickweed, Clover, Dandelion, Devil's Paintbrush, English Daisy, Ground Ivy (Creeping Charlie), Heal-All, Knotweed, Narrow-leaved Plantain (Ribgrass), Plantain, Poison Ivy, Ragweed, Shepherd's Purse, Wild White Clover.

DIRECTIONS: Adjust nozzle to give coarse wet stream. Aim at weed; pull trigger. Only short bursts are necessary. Spray acts within a few days and weeds gradually die. Grass fills in as weeds disappear. Apply when weeds are actively growing. Do not

water for 24 hours. Rain within 6 hours reduces effectiveness. Some weeds may require up to 4 weeks for complete kill. Repeat in 3-4 weeks if necessary.

PROTECTIVE CLOTHING: Wear long-sleeved shirt, long pants, socks and shoes.

OPERATOR USE PRECAUTIONS: Wash hands before eating, drinking, using tobacco or using the toilet. After treating, wash thoroughly. If pesticide penetrates clothing, remove immediately, then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before reuse.

RE-ENTRY INTERVAL: Do not allow people (other than the applicator) or pets on the treatment area during application. Do not enter treated areas until spray has thoroughly dried.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful to some desirable plants. Avoid spraying flowers, shrubs, vegetables and fruit crops. Bentgrass may be injured. Do not store container near seeds, fertilizers, insecticides or fungicides. KEEP FROM FREEZING.

FIRST AID:

If on skin, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with water for 5-10 minutes. Obtain medical attention or contact a poison control centre. If swallowed, rinse mouth with water. Drink water to dilute. Call doctor or poison control centre if symptoms of poisoning occur.

DISPOSAL: Do not re-use empty container. Wrap in newspaper and dispose of empty container in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))