

2000/2005

Safer's

ATTACK

HOUSE AND GARDEN BUG KILLER

Kills flies, mosquitoes, wasps,
gnats and flying moths

GUARANTEE:

pyrethrins	0.20%
Technical Piperonyl Butoxide	1.00%

Reg. No. 24169 P.C.P. ACT

READ THE LABEL BEFORE USING

DOMESTIC

CAUTION EXPLOSIVE

Net Contents 350 g

Safer Ltd,
Box 186
Scarborough, Ontario
M1R 5B5

NO CFC'S

DIRECTIONS:

SHAKE WELL BEFORE USING. Remove protective cap and hold container upright to spray. Aim spray nozzle away from people. KILLS INDOOR PESTS: To kill FLYING INSECTS including Flies, Mosquitoes, Wasps, Gnats and Flying Moths: Close doors and windows. Direct spray upwards in sweeping motion to all parts of the room especially windows and other light sources. Apply 6-10 second bursts of spray per 30 cubic metres of spaces. Keep spray at least 1 metre from interior walls, fabrics and furniture. If possible, keep doors and windows closed for 15 minutes after treatment. To kill CRAWLING INSECTS including Cockroaches, Spiders, Crickets, Ants, Carpet Beetles, Centipedes and Silverfish; Spray hiding places such as baseboards, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails around door sills, window frames and in

ant nests. Insects must be hit to be killed. BEDBUGS: Spray mattress, especially around seams and tufts. Take beds apart, spray all joints. Repeat as required. FLEAS: Spray animals' sleeping quarters. KILLS OUTDOOR PESTS: To kill SUCKING INSECTS including exposed Thrips, Leafhoppers, Spotted Mites, Lacebugs and Aphids, and CHEWING INSECTS including Caterpillars, Climbing Cutworm and Japanese Beetles; Insects must be sprayed directly to be killed. Hold container 30-45 cm away from plants being sprayed. Spray in slow sweeping motion and apply spray to lower and upper leaf surfaces. Apply when air is still, in early morning or evening, do not apply in direct sunlight. Do not apply if temperature exceeds 32° C. Use with caution on young plants or new growth. FLOWERS AND ORNAMENTALS: For use on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladiolas, Irises, Marigolds, Petunias, Roses, Snapdragons and on Evergreens, small Deciduous trees, Shrubs and Vines. VEGETABLES: For use on cabbage, carrots, tomatoes, potatoes, broccoli, onions, cucumbers, turnip, lettuce and squash. FRUIT TREES AND GRAPEVINES: NOTE: Do not spray fruits and vegetables within 3 days of picking. Wash fruits and vegetables before eating.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. Cover fish bowls and remove pets for one hour when spraying rooms. Remove or cover exposed food and cooking utensils before spraying. Do not use on Maidenhair ferns. Contents of container under pressure. Do not place in hot water or near heat sources such as stoves. Do not store at temperatures greater than 50° C. Keep from freezing.

FIRST AID:

Avoid inhalation and exposure to eyes. If on skin, wash with water. If in eyes, flush with water. If irritation persists, obtain medical attention. If swallowed, obtain medical attention immediately.

DISPOSAL:

When container is empty, press valve to release all remaining pressure, then wrap and discard empty container in household garbage. Do not puncture or incinerate.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))