91.05.28

# DEARCIDE 6212W

Reg Trade Mark

INDUSTRIAL

DANGER

CORROSIVE

POISON

### FLAMMABLE

READ THE LABEL BEFORE USING

**REGISTRATION NO. 18345** 

PEST CONTROL PRODUCTS ACT

OIL FIELD INJECTION WATER MICROBISTAT

NET CONTENTS LITRES

DEARBORN CHEMICAL COMPANY LTD. PLANT AND OFFICES: 3451 ERINDALE STATION ROAD MISSISSAUGA, ONTARIO L5C 2S9

> MAILING ADDRESS: P.O. BOX 3060 STATION A MISSISSAUGA, ONTARIO L5A 3T5

GUARANTEE: 5-Chloro-2-methyl-4-isothiazolin-3-one.....2.3% 2-Methyl-4-isothiazolin-3-one.....0.7%

DIRECTIONS: DEARCIDE 6212 is recommended for the control of bacteria, both slime formers and sulphate reducers in oil field injection water systems. An initial dosage of 30 to 200 ppm is recommended. When control is achieved, dosage levels may be reduced to 30 to 90 ppm. Freeze stable to minus 43 degrees C.

### ECOLOGICAL:

Open dumping is prohibited. If plastic, do not reuse empty container. This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waters. Apply this product only as specified on this label.

# CAUTION:

DANGER-CORROSIVE TO EYES AND CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IN INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapour or mist. Do not take internally. Wash thoroughly after handling. Contains methanol. May be fatal or cause blindness if swallowed or absorbed thorough the skin. Do not contaminate water, food or feed by storage or disposal.

### FIRST AID:

In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person. If inhaled, remove person immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

# TOXICOLOGICAL INFORMATION:

Contains 35% methanol. Detailed procedures for treatment should be available through poison control centres. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression and convulsion may be needed.

### DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial

requirements.

- 4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of ENVIRONMENT CANADA.
- 5. For small spills, recover free liquid. Soak up residue with solids absorbent. Do not flush into surface streams. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

KEEP FROM FREEZING

Corrosive Liquid, Flammable NOS (Isothiazolines) PIN 2920

#### 

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))