

97.01.16

Siphotrol(R) 210 Fogger

Kills Pre-Adult (larvae) Fleas

Residual action keeps working for 210 days

With PRECOR(R)
Insect Growth Regulator (IGR)

COMMERCIAL

FOR USE BY LICENSED PCO OPERATORS

GUARANTEE:

(S)-Methoprene 0.075%

REG. NO. 24602 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USING

CAUTION

EXPLOSIVE

NET CONTENTS: 57 g

SANDOZ AGRO CANADA, INC.
SUITE 302, PLAZA 4, 2000 ARGENTIA RD.
MISSISSAUGA, ONT. L5N 1W1

ABOUT SIPHOTROL 210: Siphotrol 210 Fogger contains Precor, a unique ingredient that kills pre-adult fleas, delivered using a fogging device. Siphotrol 210 Fogger protects your establishment from re-infestation and flea buildup and annoying bites. One treatment with the Siphotrol 210 Fogger gives continuous protection For 210 days. The fogger leaves no lingering odour and, used as directed, does not stain furnishings. Note: If a large number of adult fleas (at the biting stage) are present, a flea killer especially designed to kill adult fleas (e.g. Vet-Kem(R) Siphotrol P.M.) should be used, since the Siphotrol 210 Fogger kills only pre-adult fleas.

APPLICATION DIRECTIONS: 1. Use only when area to be treated is vacated by humans and pets. 2. Use of Siphotrol 210 Fogger is restricted to licensed pest control operators in commercial (non-dwelling) locations where there is no public access for an extended period of time. Siphotrol 210 Fogger should not be used in hospitals. Siphotrol 210 Fogger may be used in schools over an extended holiday (not a weekend). For the most effective results, the entire dwelling should be treated. Use one fogger for each 30 sq m (approximately 5 m x 6 m) of floor space. If multiple rooms are to be treated, use one can per room.

Preparing the Treatment Area: 1. Close outside doors and windows and turn off fans and air conditioner. 2. Extinguish open flames except pilot lights. 9. Place the fogger at least 2 m away from the nearest pilot light. The fogger should be placed on the floor in the middle of the room.

To Start Fogging: Important: Keep can at arm's length at all times. 1. Remove cap. 2. Point the top of the can away from your face and eyes, and press down the activator tab to lock into position. 3. Set the can upright on floor. 4. Leave the room. The fogging spray will begin immediately. Keep the area being treated closed. If appropriate, post signs on all entrances indicating that the area is being treated. Do not re-enter treated area for 2 hours.

After Fogging: 1. After 2 hours, open doors and windows and turn on fans and air conditioners. 2. Before re-occupying, let the treated area air for a period of 3 hours.

CAUTION: 1. KEEP OUT OF REACH OF CHILDREN. 2. Harmful if inhaled or absorbed through the skin. Avoid breathing mist. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after use.

WARNING: Contents under pressure. Do not use in presence of open flame or spark. Do not store at temperatures over 50°C. Do not puncture or incinerate.

FIRST AID: 1. If inhaled: remove victim to fresh air. Apply artificial respiration if indicated. 2. If on skin: remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists. 3. If in eyes: flush eyes with plenty of water. Call physician immediately.

STORAGE AND DISPOSAL: Contents under pressure. 1. Store in a cool and dry area away from heat or open flame. 2. Do not store at temperatures over 50°C. 3. Do not puncture or incinerate. 4. Dispose of empty container with household garbage.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Siphotrol and Precor are registered trademarks of Sandoz Ltd.

HOTLINE: 1-800-263-3532

distributed by:

JANSSEN

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))