

97.01.02

BIOMATE(R) 6267W

MICROBISTAT

INDUSTRIAL/INDUSTRIEL

CAUTION POISON

ATTENTION POISON

GUARANTEE/GARANTIE:

2-Bromo-2-Nitropropane-1,3 diol 9.8%

READ THE LABEL BEFORE USING
LIRE L'ETIQUETTE AVANT L'EMPLOI

REGISTRATION NO. 21818
PEST CONTROL PRODUCTS ACT/

NO. D'ENREGISTREMENT 21818
LOI SUR LES PRODUITS ANTIPARASITAIRES

NET CONTENTS/CONTENU NET
LITRES

KEEP FROM FREEZING
PROTEGER CONTRE LE GEL

BETZ DEARBORN INC.
Plant and Offices:
3451 Erindale Station Road
Mississauga, Ontario
L5C 2S9

Mailing Address:
P.O. Box 3060
Station A
Mississauga, Ontario
L5A 3T5

CORROSIVE LIQUID, NOS (Bromo nitropropanediol) PIN 1760

DIRECTIONS:

Papermills: BIOMATE 6267W should be slug fed at a level of 0.6 to 1.0 kg per tonne of dry paper produced. Slug feeding should be done once per day, ensure uniform mixing. Not for use in the production of paper or paperboard that will come into contact with food.

Industrial Cooling Towers, Condensers, Air Washers, Heat Exchangers: BIOMATE 6267W should be slug fed at a level of 6.0 to 10.0 kg per 10,000 L of system volume. Slug feeding should be done once per day, ensure uniform mixing.

Metalworking Fluids Systems, Oil/Water Emulsions: BIOMATE 6267W should be slug fed at a rate of 5.0 to 10.0 kg per 10,000 L of system volume.

Preservative: BIOMATE 6267W should be used at a rate of 2 to 10% for biological control in Polymer Latices, Latex Emulsions and Adhesives (non food packaging).

Oil Field: Pretreat heavily fouled systems with 1000 ppm of BIOMATE 6267W. A maintenance dose of 100 to 250 ppm BIOMATE 6267W is sufficient to maintain control of the system.

CAUTION:

MAY BE HARMFUL IF INHALED. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapour or mist. Do not contaminate water, food or feed by storage or disposal. Store away from oxidizing materials, heat or open flame.

FIRST AID:

In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person. If inhaled, remove person immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))