

1999/2004

BROMINATING TABLETS

VANTAGE

COMMERCIAL WATER SYSTEMS

20 KG

CONTROLS BACTERIA AND ALGAE
IN SWIMMING POOL WATERS

GUARANTEE:

1-BROMO-3-CHLORO-5, 5-DIMETHYLHYDANTOIN.. 92.5%
AVAILABLE BROMINE CONTENT..... 61%
AVAILABLE CHLORINE CONTENT..... 27%

REGISTRATION NO. 23588

PEST CONTROL PRODUCTS ACT

CAUTION

POISON

CORROSIVE

READ THE LABEL BEFORE USING

VANTAGE SYSTEMS INC.
89 QUEENSWAY W.
UNIT 215
MISSISSAUGA, ONT.
L5B 2V2

DIRECTION FOR USE:

Weight per tablet 20g

Vantage Brominating Tablets when used as directed, are effective as a swimming pool water sanitizer and disinfectant.

WARNING: Direct tablet contact may cause bleaching of vinyl or

painted pool surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

1. Maintain recommended daily levels as determined by testing kits:

Free available chlorine: 1.0 - 3.0 ppm

pH: 7.2 - 7.8

Total alkalinity: 100 - 150 ppm

Calcium Hardness: 200 - 300 ppm

2. If using an automatic feeding device, fill the chamber(s) with tablets and adjust flow rate, according to manufacturer's recommendations, to maintain proper bromine residual. Adding tablets to the pool's skimmer basket is an alternative bromine method. Daily usage should approximate 25 g of Vantage Brominating Tablets per 10,000 L of pool water.

NOTE: Hot weather, heavy pool usage, and rain may require higher usage rate to maintain proper bromine residuals.

3. Periodic superchlorination of pool water is recommended. Follow label instructions of superchlorination product being employed.

PRECAUTIONS: Keep out of reach of children. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Strong oxidizing agent. May cause fire or explosion if contaminated. Avoid contact with skin and eyes. Avoid breathing dust. Harmful if swallowed. Keep container closed and store in a cool, dry location.

FIRST AID: If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink one glass of milk or water. Call a Physician or poison control centre IMMEDIATELY.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Rinse the empty container thoroughly and add the rinsings to the treatment site.

2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product, and the clean up of spills contact the regional office of Environment Canada.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))