

SHELL PARABASE

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

REGISTRATION NUMBER 23846 - PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

GUARANTEE: Mineral Oil.....100 %
(S.U. Viscosity at 37.8 ° C.....36.6 seconds)

Net Contents: litres

Shell Canada Products
400-4th Avenue SW
P.O. Box 100, Station M
Calgary, AB T2P 2H5

Telephone: 1-800-661-1600

DIRECTIONS FOR USE:

To be used only in the manufacture of a pesticide which is registered under the Pest Control Products Act.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL.
Wear chemical safety goggles and/or full face shield to protect eyes and face, if product is handled such that it could be splashed into eyes. Oil impervious gloves should be worn at all times when handling this product. Avoid excessive heat, formation of oil mist, breathing of vapours and mist of hot oil and prolonged or repeated contact with skin. Launder contaminated clothing prior to reuse. Properly dispose of contaminated leather articles, including shoes, that cannot be decontaminated. Use good personal hygiene.

FIRST AID:

EYES - Flush eyes with water for at least 15 minutes while holding eyelids open. Obtain medical attention.

INGESTION - Do not induce vomiting. Obtain medical attention or contact poison control centre immediately.

SKIN - Wipe excess from skin. Wash contaminated skin with mild soap and water.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Vapours are moderately irritating to the eyes and respiratory passages. Prolonged exposure to high vapour concentration can cause headaches, dizziness, nausea, and central nervous system depression. In rare cases may sensitize heart muscle causing heart arrhythmia. The liquid when accidentally aspirated into the lungs can cause a severe inflammation of the lung. Preexisting eye, skin and respiratory disorders may be aggravated by exposure to this product.

The main hazard following accidental ingestion is aspiration of the liquid into the lungs producing chemical pneumonitis. Cardiac arrhythmia's have been reported with solvent exposure. If more than 2.0 ml/kg has been ingested, vomiting should be induced with supervision. If symptoms such as loss of gag reflex, convulsions or unconsciousness occur before vomiting, gastric lavage with a cuffed endotracheal tube should be considered.

DECONTAMINATION AND DISPOSAL:

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and cleanup of spills, contact the provincial regulatory agency or the Manufacturer.

STORAGE:

Keep in original containers during storage. Store product in a cool, dry, well ventilated place away from seed, feed, fertilizer, or other pesticides. Keep away from fire or open flame or other sources of heat.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.