

C-I-L[®]
DEECOP[®]
INSECTICIDE-FUNGICIDE DUST
FOR VEGETABLES

DOMESTIC

REG. NO. 14160 P.C.P. ACT

GUARANTEE:

Copper (as tribasic Copper Sulphate)	7%
Carbaryl	5%

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

500 g

Nu-Gro IP Inc.
10 Craig Street
Brantford, ON
N3R 7J1

Made In Canada

C-I-L[®] Insecticide-Fungicide for Vegetables is especially formulated to control many insects and disease in tomatoes, potatoes and other vegetables listed below.

DIRECTIONS

Start application when insects or damage caused by insects or disease appears and plants are 8-15 cm high. Repeat at intervals of 7 to 14 days or as necessary for control. Cover foliage with a thin, uniform coating. For best results use when air is calm and temperature is below 27° C. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity. Use on the crops listed below up to the specified days to harvest interval as indicated beside the crop. Applications in August and early September are especially important to control Late Blight.

VEGETABLES (interval to harvest)	INSECT	DISEASE
Potatoes (7)	Flea Beetles Leafhoppers	Early Blight Late Blight
Tomatoes (1)	Colorado Potato Beetles Tomato Hornworms	
Peppers (1)	Colorado Potato Beetles European Corn Borer Flea Beetles	
Celery (3)	Flea Beetles Tarnish Plant Bugs Leafhoppers	Early Blight Late Blight
Cabbage (3)	Cabbage Looper	
Cauliflower (3)	Cabbage Worms	
Broccoli (3)		
Cucumbers (field) (5)	Cucumber Beetles	*Angular Leaf Spot
Squash (5)	Squash Bugs	
Melons (5)	Flea Beetles	
Pumpkins (3)	Leafhoppers	

*Angular Leaf Spot (Bacterial) causes irregular angular spots and yellowing of the foliage. Spots turn grey and tear out, leaving large holes in leaves. On stems and fruits, the spots are sunken and covered with a white crust.

WARNING: Carbaryl is toxic to bees. Do not use where bees are foraging.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid inhaling dust or contact with eyes, skin or clothing. Wash thoroughly after use and before eating, drinking or smoking. Avoid contamination of feed, food, utensils, drinking water or any body of water. Store in a cool, dry ventilated place. **Keep children and pets away from treated area during application and until dry.**

DISPOSAL: Dispose of empty container with household garbage.

FIRST AID: If swallowed, induce vomiting by giving patient 1 to 2 glasses of water and inserting finger down throat. Obtain medical attention or contact a poison control centre. **If in eyes,** flush with plenty of water and obtain medical attention. **If on skin,** wash with soap and water. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This package is sold by weight, not by volume. It contains full net weight indicated. Settling will occur during shipping and handling.

C-I-L Oval[®] ICI Canada Inc./Lic. Nu-Gro Licensed user.
DEECOP[®] is a trademark of ICI Canada Inc.
Nu-Gro is a registered user.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.