

95.04.24

INDUSTRIAL

READ THE LABEL BEFORE USING

PROMAC(R)
MINE ACID CONTROL SYSTEMS

Patent Applied For

PROMAC 2000SB FLAKE

GUARANTEE:

Sodium Dodecylbenzene Sulfonate: 88.0%
Contains 19.96 kg active ingredient per 22.68 kg

DANGER

CORROSIVE TO EYES

REGISTRATION NO. 23950
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 22.68 kg

Manufactured by:
MVTechnologies, Inc. (MVTI)
2855 W. Market Street, Suite 214
Akron, Ohio 44333-4034, USA

STATEMENT OF FIRST AID TREATMENT:

IF SWALLOWED: Natural emetic. If vomiting does not occur, induce vomiting by sticking finger down throat or by giving Syrup of Ipecac. See a physician.

IF ON SKIN: Remove contaminated clothing. Wash the affected area with soap and water. Wash clothing before reuse. If irritation develops, see a physician.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. See a physician immediately.

IF INHALED: Remove from area to fresh air. If respiratory irritation develops, see a physician.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER

Corrosive, causes eye damage and skin irritation. Harmful or fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield and protective gloves when handling. Wear a NIOSH/MSHA-approved respirator if dusting occurs.

ENVIRONMENTAL HAZARDS: Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty containers.

STORAGE: Because this product is moderately hygroscopic, it should be stored in a cool, dry place. Partly used bags should be promptly sealed. Sprinklered warehouse areas are recommended.

MATERIAL HANDLING: Avoid handling methods that produce dusting in order to eliminate potential explosion hazards.

SPILL OR LEAK: If container is damaged, stop spills by patching or otherwise repairing damage.

DISPOSAL: Completely empty bags into application equipment. Dispose in regular trash.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE

For control of bacteria causing mine acid formation on active mine sites, mineral stockpiles and reclamation of disturbed lands, apply product at a rate not to exceed 570 kg (or 25 bags) with up to 32,500 L of water/hectare. The exact dosage is site-specific and will be determined by the on-site MVTechnologies, Inc. authorized applicator. Dosage and dilution depend upon soil absorption, permeability, slope, chemistry, etc., e.g., on compacted coal refuse with 2:1 slope and low neutralization potential, the dosage is likely to be 375 kg/hectare diluted in 25,000 L of water.

Apply product to site using a hydroseeder or other spraying or spreading equipment. Do not apply if raining or rain is expected within 24 hours.

Effluent from the site must be treated, if necessary, before release so as not to exceed a concentration of 15 ug/L of active ingredient (sodium dodecylbenzene sulfonate) in the receiving waters.

Wash thoroughly after handling.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))