25-FEB-2008 Notification - Change in Registrant Name

RATOXIN BAIT BLOCK RODENTICIDE

WEATHERPROOF BLOCK FOR RAT AND MOUSE CONTROL

DOMESTIC

REGISTRATION NO. 16865 PEST CONTROL PRODUCTS ACT

GUARANTEE: DIPHACINONE 0.005 % Warning, contains the allergens wheat, soybean oil, lecithin. Contains malathion at 0.009% and calcium propionate at 0.378% as preservatives.

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 450 g

Notification Change

Nu Gro PR Inc. 10 Craig Street Brantford, ON N3R 7J1 519-757-0077 Agrium Advanced Technologies RP Inc.

USE LIMITATIONS Bait MUST either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

DIRECTIONS FOR USE (indoors and against the outside walls of buildings): Place blocks in areas such as along walls, in corners, near rat holes, and in concealed areas where rats and mice feed. Check daily to make sure that an uninterrupted supply of bait is available for at least 15 days. Continue baiting until all signs of rat activity cease.

Each block consists of a 450 g slab scored to be divided into four 114 g sticks.

RATS: Divide and place 1 to 4 sticks of the block (usually at intervals of 5-10 m) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Divide each 114 g stick of the block into four 28 g pieces. Place one 28 g piece of block at 2.5-4 m intervals. Two 28 g pieces may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.

May be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS. Keep out of lakes, streams or ponds.

FIRST AID: If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two glasses of water and INDUCE VOMITING by touching back of the throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K_1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE:

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL: Do not reuse empty container. Dispose of empty container by placing in household garbage.

Rodent disposal: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.