

97/2002

LONZA
FORMULATION
70-12

Highly concentrated Germicide Based
on a Unique Blend of
Quaternaries with Organic Soil
Load Tolerance
Disinfectant - Cleaner - Sanitizer
Fungicide - Mildewstat - Virucide*
Deodorizer for use in Hospitals
Institutional and Industrial Environments

COMMERCIAL

GUARANTEE:

Alkyl (40% C12, 50% C14, 10% C16) Dimethyl	
Benzyl Ammonium Chloride	5.000%
Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.500%
Didecyl Dimethyl Ammonium Chloride	2.250%

DANGER

POISON CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 17537

PEST CONTROL PRODUCTS ACT

DIN NO.

NET CONTENTS: L

LOT #

Manufactured by:
LONZA INC.,
17-17 ROUTE 208, FAIR LAWN, N.J. 07410
Canadian Agent:

CANADA COLORS & CHEMICALS
80 SCARSDALE ROAD, DON MILLS,
ONTARIO M3B 2R7

DIRECTIONS FOR USE:

LONZA FORMULATION 70-12 is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil.

Apply LONZA FORMULATION 70-12 to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTION: To disinfect hard, non-porous surfaces, add 4 mL/L of water. Treated surfaces must remain wet for 10 minutes. At this use level. LONZA FORMULATION 70-12 is also virucidal and fungicidal.

SANITIZING: To sanitize non-porous, non-food contact surfaces, add 1.5 mL/L of water.

At 4 mL/L use level, the broad spectrum activity of LONZA FORMULATION 70-12 has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test:

Pseudomonas aeruginosa	Staphylococcus aureus
Salmonella choleraesuis	Escherichia coli
Klebsiella pneumoniae	Enterobacter aerogenes
Salmonella schottmuelleri	Streptococcus faecalis
Shigella dysenteriae	Brevibacterium ammoniagenes

AOAC Fungicidal Test: LONZA FORMULATION 70-12 is effective against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, shower and bath areas, exercise facilities, dressing rooms, etc.

Mildewstatic Performance: at 4 mL/L LONZA FORMULATION 70-12 will effectively inhibit the growth of mold and mildew and the odors

caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance*: at 4 mL/L use-level, LONZA FORMULATION 70-12 was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses) and Influenza A2 (the Hong Kong Flu Virus), on inanimate environmental surfaces.

Sanitizing - Non-Food Contact Surfaces (such as floors, walls, tables, etc.): at 1.5 mL/L use-level, 30 second contact time, LONZA FORMULATION 70-12 is an effective sanitizing agent in waters up to 600 ppm hardness against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on non-porous environmental surfaces.

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. LONZA FORMULATION 70-12 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces. When used as directed, LONZA FORMULATION 70-12 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and will inhibit the growth of mold and mildew and their odors when used as directed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DANGER - CORROSIVE TO EYES. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST-AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control centre immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be

needed.

DISPOSAL:

1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the Provincial Regulatory Agency. Contact the Manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

CONTAINS: Surfactant and sesquestrant.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))