SECTROL(TM) PREMISES FLEA SPRAY READY TO USE MICROENCAPSULATED PYRETHRINS INSECTICIDE

GUARANTEE DOMESTIC
PYRETHRINS.....0.11%
PIPERONYL BUTOXIDE TECHNICAL....0.88%

REG.NO. 21326 P.C.P. ACT

READ THE LABEL BEFORE USING

470 mL

3M CANADA INC. LONDON, ONTARIO N6A 4T1

CV-0000-0000-0 04/91 9104ML9578aB

APPLICATION INFORMATION:

SHAKE WELL BEFORE USE AND DURING USE

"SECTROL" Insecticide may be applied as a GENERAL SURFACE SPRAY.

FOR GENERAL TREATMENT CONTROL OF: Fleas. Also effective against cockroaches, ants, crickets, silverfish, firebrats, weevils, psocids, spiders, beetles, centipedes.

USE AREAS: residences, kennels.

"SECTROL" Premises Flea Spray in the 470mL bottle will provide 1 treatment of an area 14 sq meters (150 sq ft)

NOTE: IF NOZZLE BECOMES PLUGGED DURING USE, REMOVE NOZZLE FROM SPRAYER AND ALSO FILTER FROM BOTTOM OF TUBE AND CLEAN BOTH WITH WATER.

TO PROPERLY TREAT FOR FLEAS, FOLLOW THESE INSTRUCTIONS:

- 1. Destroy or thoroughly clean your pet's bedding.
- 2. Thoroughly clean and vacuum your home. Tightly seal vacuum bag and dispose in the garbage.
- 3. Shake "SECTROL" Premises Flea spray container vigorously for 15-20 seconds to disperse all the microcapsules before spraying.
- 4. Spray "SECTROL" Premises Flea Spray on any area that may be harbouring fleas. Pay special attention to cover pet resting areas and areas of frequent pet contact. This usually includes furniture, under beds, hallways, closets, etc. Flooring, particularly carpets, should be sprayed thoroughly. Do not apply directly to pets.

NOTE: WE RECOMMEND PATCH TESTING CARPETS AND FURNITURE ON A HIDDEN AREA AND ALLOW THESE AREAS TO DRY BEFORE APPLICATION.

- 5. We recommend you limit vacuuming to high traffic areas for at least 30 days. Vacuumed areas should be lightly retreated to help ensure that the flea cycle is broken.

 "SECTROL" Premises Flea Spray has extended residual activity. The product continues working up to 30 days against fleas when the above instructions are followed.
- 6. Repeat application as needed.

"Sectrol" Insecticide does not leave an excessive residue. If sprayed to run-off, "Sectrol" Insecticide may be easily removed by wiping with a damp cloth or vacuuming.

IMPORTANT INFORMATION

- . Pyrethrin insecticides are hazardous to fish. Cover your aquarium.
- . "Sectrol" Insecticide products will not harm plants.
- . "Sectrol" Insecticide products are virtually odourless. You do not have to leave your home after spraying.

EXPECTATIONS

1. HOW LONG DOES "SECTROL" INSECTICIDE LAST? "Sectrol" Insecticide Premises Spray begins working upon drying

(approximately 24 hours) and remains active up to 30 days.

- 2. WHICH FLEA STAGES WILL "SECTROL" INSECTICIDE KILL?
 "Sectrol" Insecticide kills the adult flea only. Fleas lay
 hundreds of eggs that will hatch in a minimum of 3 weeks to
 2 years.
- 3. ARE ADDITIONAL TREATMENTS OF "SECTROL" INSECTICIDE NECESSARY? If fleas take longer than 30 days to hatch, additional treatments of "Sectrol" Insecticide will be necessary. Repeated use of "Sectrol" Premises Flea Spray can be used in regions of heavy flea infestation as a control measure.
- 4. WILL FLEAS DIE IMMEDIATELY AFTER SPRAYING? "Sectrol" Insecticide capsules are inactive when wet. It may take 24-48 hours to see a significant reduction in the flea population. Once the flea picks up a significant number of dry "Sectrol" Insecticide capsules, it will die within hours. The flea will become noticeably sluggish before death.
- 5. WILL NEW FLEAS BE SEEN IN THE HOME OVER THE 30-DAY PERIOD? In severe cases, new outbreaks may occur. This is a result of egg hatching. This new outbreak will be controlled by "Sectrol"Premises Flea Spray.

FOR BEST RESULTS

- 1. Follow all instructions carefully.
- 2. Keep your pet and home treated throughout flea season if necessary to prevent reinfestation from outdoors.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. HUMANS AND DOMESTIC ANIMALS: Avoid contact with eyes, skin, and clothing. Avoid inhalation of spray. Avoid breathing spray mist. Keep container closed when not in use. Cover or remove fish bowls and aquaria. Remove pets for one hour when spraying. Food should be removed or covered before treatment. All food contact surfaces and cooking utensils should be covered during treatment or thoroughly cleaned before using. Wash hands after spraying and before eating or smoking. Do not use in nurseries or rooms where infants, ill or aged persons are confined. This product may pose a hazard to pollinating insects. Do not contaminate any body of

water.

FIRST AID: In case of contact with eyes, immediately flush with plenty of water. If irritation persists, get medical attention. If on skin, wash with soap and water. If swallowed, CONTAINS A PETROLEUM DISTILLATE. DO NOT INDUCE VOMITING. See physician.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Do not reuse empty container. Follow provincial regulations for any required additional cleaning of container prior to its disposal. Make the empty container unsuitable for further use and dispose in accordance with provincial requirements. For information on the disposal of unused unwanted product and the clean-up of spills, contact the regional office of Conservation and Protection, Environment Canada. Do not store below ONC. If exposed to temperature below ONC thaw completely and mix well before using.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes all risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Made in Canada
Health Care Products and Services Division
3M Canada Inc.
P.O. Box 5757
London, Ontario
N6A 4T1

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))