

85.12.31

DITHANE D-14
LIQUID CONCENTRATE FUNGICIDE
CONTAINS NABAM
AGRICULTURAL

GUARANTEE: NABAM 22%

CAUTION: POISON

REG. NO.14388
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS: 20 LITRES

ROHM AND HAAS CANADA INC.
2 Manse Roads
West Hill, Ontario
M1E 3T9

DITHANE and the flask symbol are Trade Marks of Rohm and Haas Company, Philadelphia, PA. Registered in Canada under which Rohm and Haas Canada Inc. has been entered as a registered user.

DIRECTIONS FOR USE:

NOTE: IMPORTANT

DITHANE D-14 must be used with zinc sulphate for maximum results. Add 1 kilogram of zinc sulphate (36% zinc) to 5 litres Dithane D-14 per 1,000 litres water. In preparing the spray the tank should be filled 1/3 to 1/2 full of water. Then add the required amount of Dithane. Next sift the zinc sulphate slowly into the tank as it continues to fill, allowing a few moments for mixing before adding other insecticides if used. The agitator in the spray tank should be operating all during the mixing operation.

MIXING

DITHANE D-14.....5 litres (per 1,000 litres of water)

Zinc Sulphate.....1 kilogram

GENERAL DIRECTIONS

Use 5 litres DITHANE D-14 plus 1 kilogram 36% zinc sulphate per 1,000 litres water following the direction for mixing outlined above. High pressure sprayers are preferred and thorough coverage is important.

GLADIOLI - botrytis flower spot, botrytis leaf spot, curvularia spot, stemphyllium

Apply when disease first appears and repeat at intervals of 3-5 days as necessary.

PRECAUTIONS

Keep out of reach of children. May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin. Avoid inhalation of spray mist. Avoid contact with skin, eyes and clothing. Wash after handling, and before eating, drinking or smoking. Do not contaminate food or feed. Do not contaminate ponds, lakes and streams. Keep containers tightly closed when not in use. Do not allow product to become wet or overheated during storage. If allowed to become wet or overheated in storage, chemical changes may occur which will impair fungicidal effectiveness, and may also generate flammable vapors.

FIRST AID

In case of skin contact, wash with soap and plenty of water. If taken internally, induce vomiting, by inserting finger into throat. Drink copious quantities of water. If in eyes, flush with plenty of water and get medical attention.

TOXICOLOGY

Treat as above for skin contact. If taken internally administer gastric lavage.

DECONTAMINATION AND DISPOSAL

Burn empty bags, stay out of the smoke. Decontaminate equipment and empty containers by thoroughly rinsing with water and dispose

of rinsings by burying in non-crop land away from water supplies. Crush, break, or puncture empty containers and bury them with the rinsings or deliver them to sanitary land-fill dumps in accordance with municipal requirements. For additional details on disposal of containers and rinsings and for information about the appropriate means of disposal of unused, unwanted product, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER

This control product is to be used only accordance with directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))