

85.12.31

DIS-IN-FECT  
LIQUID-DETERGENT-DISINFECTANT  
DEODORIZER-CLEANER-FUNGICIDE  
DOMESTIC

READ THE LABEL BEFORE USING

GUARANTEE:

SODIUM METASILICATE..... 3.0%  
N-ALKYL (C14-50%, C12-40%, C16-70%) DIMETHYL  
AMMONIUM CHLORIDE..... 1.5%

REGISTRATION NO. 16677

PEST CONTROL PRODUCTS ACT

CAUTION

POISON

CORROSIVE

NET CONTENTS

900 mL

MANUFACTURED BY

THE HOUSE OF PITTMAN  
185 BANNATYNE AVE. E.  
WINNIPEG, MANITOBA  
R3B 0R4

USE DIRECTIONS

GENERAL PURPOSE DISINFECTANT: To disinfect walls, floors and other hard surfaces in homes, first clean thoroughly with a solution containing 25 mL of Dis-in-fect per litre of water. If surface is heavily soiled, use 40 mL of Dis-in-fect per litre of water to insure thorough cleaning. Disinfect cleaned surface with a rinse solution containing 16 mL of Dis-in-fect per litre

of water. Food contact surfaces must be rinsed with potable water before re-use.

DEODORIZATION: To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 55 mL of Dis-in-fect per litre of water. An effective antibacterial cleaner designed for use in household cleaning. It may be relied upon to deodorize bathroom areas, garbage pails and other areas where obnoxious odours may develop.

FOR CLEANING: Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 25 mL of Dis-in-fect per litre of water. Rinse cleaned area with fresh water. Heavily soiled areas - mop or brush soiled surface with a solution containing 40 mL of Dis-in-fect per litre of water. Rinse cleaned surface with fresh water.

#### PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes and call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician immediately.

TOXICOLOGY: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))