

10-APR-1997

CO-OP (R)

Rat Killer Meal

SPECIAL BAIT

Contains Warfarin

Ready-to-use bait

DOMESTIC

500 g

READ THE LABEL BEFORE USING.

REGISTRATION NO. 11,610  
PEST CONTROL PRODUCTS ACT

GUARANTEE:

Warfarin 0.025%

POISON WARNING

Manufactured by:  
Interprovincial Co-operative Limited  
Saskatoon, Saskatchewan

Interprovincial Cooperatives Limited  
Box 1050,  
SASKATOON, SASKATCHEWAN  
S7K 3M9

CALGARY, REGINA, WINNIPEG, MISSISSAUGA, MONTREAL, MONCTON

STORE AWAY FROM CHILDREN

CO-OP (R)  
RAT KILLER MEAL SPECIAL

DIRECTIONS:

RATS: PLACE 250 GRAMS TO 500 GRAMS OF BAIT IN A DRY CONTAINER IN  
LOCATIONS FREQUENTED BY RATS. (TUNNELS, FEEDING AREAS AND

RUNWAYS.)

MICE: PLACE 15-30 GRAMS OF BAIT IN SHALLOW CONTAINERS WHERE MICE ARE SEEN OR SIGNS OF MICE ARE APPARENT. PLACE AS MANY BAIT STATIONS AS PRACTICAL.

ASSURE AN UNINTERRUPTED SUPPLY OF FRESH BAIT FOR A PERIOD OF NOT LESS THAN 12 DAYS OR UNTIL FEEDING CEASES. ALWAYS MAKE WATER AVAILABLE IN SHALLOW CONTAINERS NEAR BAIT.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. DO NOT EXPOSE TREATED BAIT IN AREAS ACCESSIBLE TO CHILDREN, DOGS, DOMESTIC ANIMALS, AND WILDLIFE EXCEPT WHEN ENCLOSED WITHIN A TAMPER-RESISTANT BAIT BOX. IF TAKEN IN LARGE OR REPEATED DOSES BY HUMANS OR ANIMALS, IT MAY REDUCE THE CLOTTING ABILITY OF THE BLOOD AND CAUSE INTERNAL BLEEDING.

- A) KEEP AWAY FROM FEED OR FOOD STUFFS.
- B) DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH ARMS HANDS AND FACE WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR SMOKING.
- C) KEEP OUT OF LAKES, STREAMS OR PONDS.

BURN OR BURY BODIES OF DEAD RODENTS.

FIRST AID:

IF IN EYES, FLUSH WITH WATER FOR 15 MINUTES.

IF ON SKIN, WASH WITH SOAP AND WATER.

IF SWALLOWED, GIVE PATIENT ONE OR TWO GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING BACK OF THE THROAT WITH A FINGER OR BLUNT OBJECT; REPEAT UNTIL VOMIT FLUID IS CLEAR. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CONTACT A PHYSICIAN OR POISON CONTROL CENTRE IMMEDIATELY.

TOXICOLOGICAL INFORMATION: BLOOD TRANSFUSIONS COMBINED WITH INTRAVENOUS INJECTIONS AND ORAL DOSES OF VITAMIN K1, ARE INDICATED, AS FOR HAEMORRHAGE CAUSED BY OVERDOSES OF DICUMAROL. VITAMIN K1, IN THE FORM OF INTRAVENOUS, INTRAMUSCULAR OR SUBCUTANEOUS INJECTIONS, OR BY ORAL INGESTION ARE SUGGESTED REMEDIAL TREATMENTS FOR ANTICOAGULANT POISONING. THE SEVERITY OF THE CASE MEASURED BY ESTABLISHING PROLONGED PROTHROMBIN TIMES (P.T.) WILL DETERMINE APPROPRIATE THERAPY. MONITORING P.T. WILL INDICATE THE NECESSITY OF REPEATED TREATMENTS.

DISPOSAL: DO NOT REUSE EMPTY CONTAINER. DISPOSE OF EMPTY CONTAINER BY PLACING IN HOUSEHOLD GARBAGE. FOR INFORMATION ON THE DISPOSAL OF UNUSED, UNWANTED PRODUCT, CONTACT THE PROVINCIAL REGULATORY AGENCY OR THE MANUFACTURER.

RODENT DISPOSAL: DISPOSE OF DEAD RODENTS IN GARBAGE OR BY BURYING.

NOTICE TO USER: THIS CONTROL PRODUCT IS TO BE USED ONLY IN ACCORDANCE WITH THE DIRECTIONS ON THIS LABEL. IT IS AN OFFENCE UNDER THE PEST CONTROL PRODUCTS ACT TO USE A CONTROL PRODUCT UNDER UNSAFE CONDITIONS.

REGISTERED TRADEMARK TMC DISTRIBUTING LTD.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))