

**PRECAUTIONS**

**KEEP OUT OF REACH OF CHILDREN**

**DANGER! \*CONTAINS METHANOL\***

**FLAMMABLE AND CORROSIVE**

- ☐ CAN BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.
- ☐ CAUSES EYE AND SKIN BURNS.
- ☐ Use only in well ventilated areas.
- ☐ Keep away from heat, sparks and open flame.
- ☐ Wear goggles or face shield and rubber gloves when handling.
- ☐ Wash thoroughly with soap and water after handling.
- ☐ Avoid contamination of food.

**ENVIRONMENTAL HAZARD**

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters. Not for use in marine or estuarine oilfields.

**FIRST AID**

**EYES:** Flush with plenty of water for at least 15 minutes. Get medical treatment immediately after.

**SKIN:** Wash thoroughly with soap and water to ensure all material removed. Remove and wash contaminated clothing before reuse.

**If swallowed:** Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or a Poison Control Centre IMMEDIATELY.

**If inhaled:** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.

Take container, label or product name and pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

**CONTAINS METHANOL AND ACETIC ACID.**

There is no specific antidote. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion, may be needed.

**DISPOSAL**

- 1.☐ Triple or pressure rinse the empty container. Add the rinsings to the treatment site.
- 2.☐ Follow provincial / territorial instruction for any required additional cleaning of the container prior to its disposal.
- 3.☐ Make the empty container unsuitable for further use.
- 4.☐ Dispose of the container in accordance with provincial / territorial requirements.
- 5.☐ For information on disposal of unused, unwanted product, contact the manufacturer or the provincial / territorial regulatory agency. Contact the manufacturer and the provincial / territorial regulatory agency in case of a spill, and for clean-up of spills.

**DISPOSAL FOR RETURNABLE CONTAINERS**

Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

**SPILLAGE**

Clean up spills immediately. Small spills can be cleaned up by spreading floor cleaning compound or other suitable absorbent material on the spill and sweeping up the residue. Larger spills should be flushed to a collection basin for disposal. Clean area well with detergent and water.

# EBX-3950

## Commercial Oilfield Biocide

### REGISTRATION NO. 22651 PEST CONTROL PRODUCTS ACT

### READ LABEL BEFORE USING

### GUARANTEE

1-Alkyl\* (C<sub>6</sub> - C<sub>18</sub>) - 1, 3-propane-diamine diacetate - 32.0%  
(\*Alkyl= 7% C<sub>8</sub>, 6.5% C<sub>10</sub>, 53% C<sub>12</sub>, 19% C<sub>14</sub>, 8.5% C<sub>16</sub>, 16% C<sub>18</sub>)  
NET CONTENTS: 210 litres

### COMMERCIAL DANGER



**POISON**



**FLAMMABLE**



**CORROSIVE**

**DIRECTIONS FOR USE**

**SECONDARY OIL PRODUCTION**

For the control of algae, slime forming and sulphate reducing bacteria in oilfield waterflood, slug treat at a rate up to 600 ppm for up to 6 hours as needed to achieve control. Repeat treatment once a week or as needed to maintain control.

For continuous treatment, up to 200 ppm can be used initially to achieve control with maintenance levels of up to 100 ppm. Levels for effective control will vary depending on conditions at the site.

**WELL COMPLETIONS, WORKOVER AND STIMULATION FLUIDS**

For control of algae, slime forming and sulphate reducing bacteria, dosage levels of up to 1000 ppm in normal situations and up to 2000 ppm for severe contamination is suggested. In packer fluids, doses of up to 200 ppm is recommended.

**PETROLEUM TRANSPORT, STORAGE SYSTEMS AND SURFACE EQUIPMENT**

To control bacteria in crude oil pipelines, slug dose with up to 6.0 litres per diameter centimeter per kilometer of pipeline. Repeat weekly or as needed to control the situation. The appropriate doses will depend on the severity of the problem.

Up to 100 ppm can be used in water for hydrostatic testing treatment of water and crude oil storage facilities. This water should be used in sub-surface injection systems only.

**NOTICE TO USER**

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

**STORAGE AND HANDLING**

Keep in original container for storage. Store drums in a sheltered area away from heat and cold. Use approved equipment for transport of drums to avoid puncturing or rupturing of container. Do not use air pressure to transfer.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.