ANT TRAP WITH/AVEC PROPOXUR

DOMESTIC/DOMESTIQUE

KILLS BOTH SWEET AND GREASE EATING ANTS. CAN BE USED INDOORS AND OUTDOORS PROVIDES CONTINUOUS CONTROL FOR WEEKS.

TUE LES FOURMIS,

CELLES QU'ATTIRE LE SUCRE ET CELLES QU'ATTIRE LE GRAS. PEUT ETRE UTILISE A L'INTERIEUR OU A L'EXTERIEUR. CONTROLE CONTINUEL QUI DURE DES SEMAINES.

5 g/CAN

REG.NO./NO.D'ENR. 14380 P.C.P. ACT/L.P.A.

GUARANTEE/GARANTIE: PROPOXUR 2.0%

READ LABEL BEFORE USING/LIRE LE LABEL AVANT L'EMPLOI

DISTRIBUTED BY/DISTRIBUE PAR: RECKITT & COLMAN CANADA INC. TORONTO, CANADA M8Z 5M5

BLACK FLAG(R) ANT TRAPS

Ants enter the trap, remove a portion of the bait and carry it back to the nest to kill entire colony.

DIRECTIONS: PUNCH ALL SIDE HOLES

Place traps under sinks, behind refrigerators, in cupboards and other areas where insects frequent. Outside, place traps at entry points and on trails and nest areas about 3-4 metres apart. Insects die after 1-2 weeks. Replace traps as necessary. Carefully dispose of old traps.

PRECAUTIONS: HARMFUL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

Wash hands after punching side holes. Avoid storage near feed

and foodstuffs.

FIRST AID: If swallowed, give patient one or two glasses of water and cause vomiting by inserting fingers down the throat. Get medical attention immediately.

TOXICOLOGICAL INFORMATION: Contains propoxur, a carbamate cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: Wrap used traps in newspaper and discard with household garbage.

(R) Registered Trademark Marque deposee

(ant trap box)

BLACK FLAG(R) KILLS ANTS/TUE LES FOURMIS WITH/AVEC PROPOXUR

DOMESTIC/DOMESTIQUE

(ANT TRAP LID)

DIRECTIONS

PUNCH ALL SIDE HOLES

Place traps under sinks, behind refrigerators, in cupboards and other areas where insects frequent. Outside, place traps at entry points and on trails and nest areas about 3-4 meters apart. Insects die after 1-2 weeks. Carefully dispose of old traps.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Harmful if swallowed. Wash hands after punching side holes. Avoid storage near feed and foodstuffs. FIRST AID: If swallowed give patient one or two glasses of water and cause vomiting by inserting fingers down the throat and get medical attention immediately.

REG.NO. 14380 P.C.P. ACT

GUARANTEE: PROPOXUR 2.0%

RECKITT & COLEMAN CANADA INC. TORONTO, CANADA M8Z 5M5

BFAT-10C

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))