

2000/2005

**QUANET®**

CLEANER - DISINFECTANT- DEODORIZER - FUNGICIDE - VIRUCIDE

**(HOSPITAL SANITIZER)**

**GUARANTEE:**

Octyl Decyl Dimethyl Ammonium chloride 0.9375%,  
Dioctyl Dimethyl Ammonium chloride 0.375%,  
Didecyl Dimethyl Ammonium chloride 0.5625%  
Alkyl (C12, 40%; C14, 50%; C16, 10%),  
Dimethyl Benzyl Ammonium chloride 1.2500%.

**COMMERCIAL**

**READ THE LABEL BEFORE USING**

REGISTRATION NO.            **19964**            PEST CONTROL PRODUCTS ACT

**CAUTION**

**CORROSIVE**

**LOT NO.**

**4 L            20 L            210 L**

**AVMOR®**

433, Ste-Hélène, Montréal (QC) H2Y 2L1  
(514) 849-8074

**USE DIRECTIONS**

A proven "one-step" cleaner - disinfectant - sanitizer -  
fungicide - mildewstat - virucide in the presence of moderate  
amounts of organic soil. Apply to walls, floors and other  
hard, non-porous surfaces such as tables, chairs, countertops,  
sinks and bedframes, with a cloth, mop so as to thoroughly wet

surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dirty.

**HOSPITAL SANITIZER:** User 1:165 or 6 ml per litre of water. Effective against a broad spectrum of gram negative and gram positive organisms as presented by: Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, Escherichia coli, Serratia marcescens, Klebsiella pneumoniae, Enterobacter aerogenes, Salmonella schottmuelleri, Streptococcus faecalis, Shigella dysenteriae, Brevibacterium ammoniagenes.

**DISINFECTION:** To disinfect hard, non-porous surfaces, treated surfaces must remain wet for 10 minutes.

**FOR SCHOOLS, NON-MEDICAL, INSTITUTIONAL AND INDUSTRIAL, DISINFECTANT USES:** Use 1:63 or 16 ml per litre of water. Delivers excellent cleaning and germicidal effectiveness. It is effective against Staphylococcus aureus, Salmonella cholerae suis and Escherichia coli, and an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities etc.

**VIRUCIDAL PERFORMANCE:** Effective against the following viruses: Influenza A/Brazil, Herpes Simplex and Vaccinia, on inanimate environmental surfaces.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May cause eye damage or skin irritation. Do not get concentrate in eyes or on skin. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, GET MEDICAL ATTENTION. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. GET MEDICAL ATTENTION IMMEDIATELY OR CALL POISON CONTROL CENTRE IMMEDIATELY.

**NOTICE TO USER:** This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )