

CO-OP®

LOUSE POWDER

INSECTICIDE

GUARANTEE:

Rotenone 0.6%

REGISTRATION NO. 5663

PEST CONTROL PRODUCTS ACT

CONTAINS: ROTENONE

AGRICULTURAL

READ THE LABEL BEFORE USING

For the control of lice, ticks and fleas on beef and dairy cattle, hogs and horses.

Net Contents: 1 kg / 4 kg / 10 kg

INTERPROVINCIAL COOPERATIVE LIMITED, P.O. BOX 1050, SASKATOON,
SASKATCHEWAN S7K 3M9

WINNIPEG

MISSISSAUGA

MONTREAL

MONCTON

RC430-0204

DIRECTIONS:

CATTLE, HORSES-LICE, FLEAS, TICKS.

Dust head, neck, shoulders or withers along the back line and sides and around the tail head. Ensure that the dust reaches to the skin. Repeat application in two weeks to kill newly hatched larva.

HOGS-LICE, FLEAS, TICKS.

Dust animals lightly in the evening. Rub a small amount between the legs and on the belly. Do not apply to nursing sows. Treat nursing sows before farrowing or after weaning. If treatment is made shortly before farrowing, wash off teats before nursing begins. Do not treat pigs under 25 kilograms.

POULTRY-LICE

Dust directly on the neck, breast, head, under the wings, on the tail and around the vent. Repeat in two weeks to control newly hatched lice.

SHEEP AND GOATS-LICE AND TICKS (KEDS).

Dust infested areas every two weeks until problem clears up. Insure dust reaches the skin.

FOXES, MINK, CHINCHILLA-LICE AND FLEAS.

Dust all of animal. Insure the dust reaches the skin.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash after handling and before eating, drinking or smoking. Do not contaminate food or feed. Do not contaminate any body of water. Toxic to fish and also toxic to hogs if swallowed.

FIRST AID:

1. In case of poisoning call a physician or contact a poison control centre immediately.
2. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water.
3. If in eyes, flush with water immediately and continue for 5-10 minutes. Get medical attention or contact a poison control centre.
4. If swallowed, induce vomiting then take patient to nearest hospital or doctor's office or contact a poison control centre. Take container, label, or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treatment of any systemic intoxication should be primarily symptomatic and supportive.

DISPOSAL:

Thoroughly empty the contents of the container. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

® Registered trademark of TMC Distributing Ltd.
Used under license

RC430-0204

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.