

96/2001

M-K-320

INDUSTRIAL

CAUTION
POISON

WARNING
CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 19448
PEST CONTROL PRODUCTS ACT

GUARANTEE

Potassium dimethyldithiocarbamate.....20.0%
Dimethyldithiocarbamate de potassium.....20.0%

CONTAINS

MURSATT CHEMICALS LIMITED
114 Norfinch Drive, Unit 1
Downsview, On
M3N1X1
667-9880

MANUFACTURERS OF INDUSTRIAL CHEMICALS SINCE 1968

LIQUID MICROBICIDE

DIRECTIONS FOR USE

WATER COOLING TOWER SYSTEMS

Prior to the use of M-K-320 in water cooling towers, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 140-575 mL of M-K-320 per 10,000 litres of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 40-575 mL of M-K-320 per 10,000 litres of water every 1 to 5 days or as needed. The frequency

of addition depends on the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

CENTRAL AIR WASHING SYSTEMS

Prior to the use of M-K-320 in air washers, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 650-1125 mL of M-K-320 per 10,000 litres of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 650-1125 mL of M-K-320 per 10,000 litres of water every 1 to 5 days or as needed. The frequency of addition depends on the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump or to the water collector trays. For use only in air wash systems equipped with mist eliminators.

PRECAUTIONS

KEEP OUT REACH OF CHILDREN

HARMFUL IF SWALLOWED: Workmen handling the product should wear rubber gloves and goggles and should avoid contact of the product with clothing or skin. After any exposure, wash promptly and thoroughly with an abrasive soap and cool water and finally with glycerin. Keep the drum closed when not in use. Do not reuse container. Destroy when empty.

FIRST AID AND TOXICOLOGY: If swallowed, call a physician immediately. Give patient doses of powdered charcoal immediately or all he can swallow of raw egg whites, milk, gruel, or flour and water. Then induce vomiting. In case of persistent irritation of the skin, obtain medical attention. If the product gets into the eyes, flood eyes immediately and thoroughly with cool water for 15-30 minutes. See a physician if any irritation persists.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use

or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))