

94.04.15

ALTOSID(R)(MD) XR

EXTENDED RESIDUAL BRIQUET  
BRIQUETTES REMANENTES

RESTRICTED/USAGE RESTREINT

A SUSTAINED RELEASE MOSQUITO GROWTH REGULATOR  
TO PREVENT ADULT MOSQUITO EMERGENCE

UN REGULATEUR DE CROISSANCE DES MOUSTIQUES A LIBERATION  
PROLONGEE QUI EMPECHE L'EMERGENCE DES MOUSTIQUES ADULTES

GUARANTEE/GARANTIE:

(S)-METHOPRENE[ISOPROPYL (2E,4E,7S)-11-METHOXY-3,7  
11-TRIMETHYL-2,4-DODECADIEENOATE].....1.8%

REG.NO./NO.D'ENR. 22677 P.C.P. ACT/L.P.A.

READ THE LABEL BEFORE USING/LIRE L'ETIQUETTE AVANT L'USAGE

KEEP OUT OF REACH OF CHILDREN  
GARDER HORS DE LA PORTEE DES ENFANTS

THIS PRODUCT CONTAINS WATER, THEREFORE THE WEIGHT OF THE BRIQUET  
AND PERCENT BY WEIGHT OF ACTIVE INGREDIENT WILL VARY WITH  
HYDRATION. THE GUARANTEE IS EXPRESSED ON A DRY WEIGHT BASIS.

CE PRODUIT CONTIENT DE L'EAU: LE POIDS DE LA BRIQUETTE ET LE  
POURCENTAGE EN MASSE D'INGREDIENT ACTIF VARIERONT DONC AVEC  
L'HYDRATION. LA GARANTIE ENONCEE EST ETABLIE EN FONCTION DU  
POIDS SEC.

USE OF THIS PRODUCT IS LIMITED TO: PUBLIC HEALTH OFFICIALS,  
MOSQUITO ABATEMENT OFFICIALS AND OTHER TRAINED PERSONNEL OF  
PUBLIC MOSQUITO PROGRAMS

L'USAGE DE CE PRODUIT EST RESERVE AUX RESPONSIBLES DE LA SANTE  
PUBLIQUE, RESPONSABLES DE LA DEMOUSTICATION ET AUTRES PERSONNES  
QUALIFIEES DES PROGRAMMES PUBLICS DE DEMOUSTICATION

NET CONTENTS/CONTENU NET: 216 BRIQUETS/BRIQUETTES

SANDOZ AGRO CANADA, INC.  
SUITE 302, PLAZA 4,  
2000 ARGENTIA ROAD,  
MISSISSAUGA, ONTARIO L5N 1W1

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NATURE OF RESTRICTION: This product is to be used only in the manner authorized; consult local pesticide authorities regarding appropriate use permits that may be required.

INTRODUCTION: ALTOSID XR Briquets are designed to release effective levels of ALTOSID insect growth regulator over a period up to 150 days in mosquito breeding sites. Release of ALTOSID insect growth regulator occurs by dissolution of the briquet. Soft mud and loose sediment can cover the briquets and inhibit normal dispersion of the active ingredient. The product may not be effective in those situations where the briquet can be removed from the site by flushing action. ALTOSID XR Briquets prevent the emergence of adult mosquitoes, including Anopheles, Culex and Culiseta, Coquillettidia and Mansonia spp., as well as those of the floodwater mosquito complex (Aedes and Psorophora spp.) from treated water. Treated larvae continue to develop normally to the pupal stage where they die.

NOTE: Altosid, an insect growth regulator has no effect on mosquitoes which have reached the pupal or adult stage prior to treatment.

DIRECTIONS FOR USE:

APPLICATION TIME: Placement of ALTOSID XR Briquets should be at or before the beginning of the mosquito season. ALTOSID XR Briquets can be applied prior to flooding when sites are dry or on snow and ice in breeding sites prior to spring thaw. Under normal conditions one application should last up to 150 days. Alternate wetting and drying will not reduce their effectiveness.

APPLICATION RATES: Aedes and Psorophora spp. For control in non-(0r low-) flow, shallow depressions (=or<60 cm or 2 feet in depth), treat on the basis of surface area, placing 1 Briquet per 18.6 sq.m (200 sq.ft.). Briquets should be placed in the lowest areas of mosquito breeding sites to maintain continuous control as the site alternately floods and dries up. Culex, Culiseta,

and Anopheles spp. Place 1 ALTOSID XR Briquet per 9.3 sq.m (100 sq.ft.) Coquillettidia and Mansonia spp. For application to cattail marshes and water-hyacinth beds. For control of these mosquitoes place 1 Briquet per 9.3 sq.m (100 sq.ft.)

APPLICATION SITES: ALTOSID XR Briquets are designed to control mosquitoes in small bodies of water. Examples of application sites are storm drains, catch basins, roadside ditches, ornamental ponds and fountains, cesspools and septic tanks, waste treatment and settling ponds, flooded crypts, transformer vaults, abandoned swimming pools, construction and other man-made depressions, cattail marshes, water-hyacinth beds, pastures, meadows, woodland pools, flood plains and dredge spoil sites.

PRECAUTIONS: Do not use in water which may be used for immediate human or livestock drinking purposes.

FIRST AID: If on skin, wash with soap and water. If in eyes, rinse with clean water for 15 minutes. If irritation persists, contact a physician. If ingested in large quantities, induce vomiting and get medical attention. Do not induce vomiting to an unconscious person.

STORAGE: Store in a cool, dry place. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container.

DISPOSAL: Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for future use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out in the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product, and accepts the product on that condition.

ALTOSID is a registered trademark of SANDOZ LTD.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this

service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))