

D1999/E2001

PLANT PRODUCTS

Lindane 25WP

INSECTICIDE

For the control of many greenhouse, industrial and home insects such as: aphids, thrips, whiteflies, symphilids, leafrollers, leaf miners, plant bugs, leaf beetles, sawflies, earwigs, psyllids, tent-caterpillars, wireworms, cutworms, rootweevils, ants, fleabeetles, spittle bugs, houseflies, moths and other flying insects.

COMMERCIAL

GUARANTEE:

Gamma BHC (From Lindane) 25%

REGISTRATION NO.: 04429  
PEST CONTROL PRODUCTS ACT

DANGER                      POISON

READ THE LABEL BEFORE USING

Plant Products Co. Ltd.  
BRAMPTON, ONTARIO  
CANADA L6T 1G1

2 kg

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Poisonous if swallowed, inhaled or absorbed through skin. Do not use on food crops. Do not contaminate food, feed, utensils or areas within the reach of animals. Avoid skin contact, inhaling or swallowing. Wash thoroughly after handling or using and before eating or smoking. Wash contaminated clothing before reuse. Do not contaminate ponds, lakes or streams. Burn or bury empty containers. Lindane is toxic to fish, birds, and other wildlife. Avoid treating areas inhabited by wildlife.

FIRST AID INSTRUCTIONS:

If swallowed, cause vomiting. For eyes, flush with plenty of water. In case of skin contact, wash with soap and water. Call

a doctor in case of accident.

#### TOXICOLOGY:

The symptoms of poisoning are nausea, vomiting, hyper-irritability, convulsions and/or coma, and other symptoms typical of organochlorine insecticide poisoning.

Lindane is an organochlorine insecticide. Barbiturates may be given to control convulsions. Oxygen may be indicated. Keep patient quiet. Avoid use of morphine and adrenaline.

#### NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

#### LIMITATIONS TO THE USE OF LINDANE 25 WP INSECTICIDE:

- (1) Vacate premises of all humans and animals during treatment. Ventilate thoroughly before re-occupying treated area. Do not use in homes, restaurants or food processing and storage areas.
- (2) For use only by experienced pest control operators.
- (3) Do not use as a space spray. Not for use on food plants or animals.
- (4) Do not use in milk processing rooms, milking parlours or dairy barns.

#### DISPOSAL:

Follow provincial instructions for any required additional cleaning of the container prior to its disposal.

Make the empty container unsuitable for further use.

Dispose of the container in accordance with provincial requirements.

For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

#### DIRECTIONS

##### GREENHOUSE ORNAMENTALS:

Aphids, thrips, whiteflies - Spray plants and soil at first sign of damage using 100 g per 100 litres of water.

Symphilids - Treat the soil with a solution of 150 g in water to cover 100 m<sup>2</sup>.

See limitations 1 & 2

OUTDOOR NURSERY ORNAMENTALS AND GARDEN FLOWERS:

Aphids, thrips, whiteflies, leafrollers, leafminers, plant bugs, leaf beetles, sawflies, psyllids, tent caterpillars.

Spray foliage at the rate of 200-400 g Lindane 25 W per 100 litres of water (35-70 mL/10 litres). See limitation 3

LAWNS AND ORNAMENTALS:

Wireworms, root weevils, ants.

Use at the rate of 60 mL per 140 litres of water to cover 10 m<sup>2</sup>. Apply uniformly over area and around the base of individual shrubs and trees.

DWELLINGS, INDUSTRIAL PLANTS, WAREHOUSES:

Houseflies, stableflies, mosquitoes, gnats, fruitflies, earwigs, crickets, moths, carpet beetles, clothes moth, larder beetle, meal moths, fleas, bedbugs.

Apply at the rate of 200 g per 10 litres of water (30 mL/litre of water) as a spot treatment to areas of floor, walls and other infested areas. For clothes moth, treat surfaces of closets and storage chests. Avoid use on surfaces that may contact food and do not use in food cupboards. Remove or cover all food before application. For industrial plants do not use while plant is in operation. Any treated surface that may contact food should be washed and rinsed thoroughly.

See limitations 3 & 4.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))