

28-JAN-1999

DIVERSEY LEVER

NUMBER'S UP

FLYING INSECT
KILLER
PRESSURIZED SPRAY

COMMERCIAL

For use on cattle, in animal quarters, milk rooms, dairy barns, horse barns, piggeries, shelter sheds, food processing plants, restaurants, hotels, hospitals, and other commercial and industrial buildings.

Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, biting midges, wasps, flying moths, and crawling insects such as cockroaches, spiders, crickets, ants, carpet beetles, centipedes, silverfish, dog and cat fleas, Brown Dog and American Dog ticks and bed bugs.

GUARANTEE:

Pyrethrins 0.50%
Piperonyl Butoxide 5.00%

REGISTRATION NO. 25441

PEST CONTROL PRODUCTS ACT

NET CONTENTS: 600 grams

DANGER

EXTREMELY FLAMMABLE EXPLOSIVE

READ THE LABEL BEFORE USING

JOHNSON DIVERSEY CANADA INC.

~~Diversey Lever Canada~~

2401 Bristol Circle,
Oakville, Ontario
L6H 6P1

Notification Change

Tel: 1-800-668-7171
Fax: 1-800-711-0115

DIRECTIONS

SPACE SPRAY: Food processing plants, restaurants, hotels, hospitals, and other commercial and industrial buildings. In hospitals, do not use in nurseries or rooms where infants, ill or aged persons are confined. Remove all personnel and patients before starting to treat area. For space spraying building with animals, remove animals before treatment. Direct spray upwards to all parts of the room, especially windows and other light sources. Apply at a rate of 6 to 10 seconds per 30 cubic metres. Keep spray at least 1 metre from interior walls, fabrics and furniture. For best results, close all doors and windows during treatment and keep room closed for fifteen minutes before ventilating. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry . In meat packing plants, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and clean thoroughly with potable water before resuming operations. In food processing plants and food service establishments, you can apply when plant is in operation.

LIVESTOCK SPRAY: To treat beef and dairy cattle (lactating and non-lactating) against flies. Spray animals once daily with fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of hair only, do not wet the skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Wash udders before milking.

MILK PARLOURS AND MILKROOM SPACE SPRAY: When used in milk houses, and milk parlours use only when milk house is not in operation. Remove any animals from treatment area before spraying. Cover or remove all milk and milking implements before spraying to prevent contamination from spray and dead insects. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations.

CRAWLING INSECTS: Apply to insect hiding places and breeding areas such as baseboards, moist areas, opening around sinks, drains, and pipes, behind cabinet and storage areas. If possible, hit insects directly to kill. Spray ant trails, around door

sills, window frames or in ant nest.

BED BUGS: Spray Mattress, particularly around seams and tufts. Take bed apart, spray joints. Repeat as required.

FLEAS: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after areas have been treated. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use. Do not contaminate feed, food or water troughs. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using **CONTENTS UNDER PRESSURE**. Do not place in hot water or near radiators, stove or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50'C. Do not spray into or near any open flame, spark, or while smoking.

FIRST AID TREATMENT: If sprayed in eyes, flush with clean water. If sprayed on skin, wash with soap and water. If irritation persists, obtain medical attention. If ingested, do not induce vomiting, contains a petroleum distillate, obtain medical attention or contact poison control centre at once.

DISPOSAL: Press valve to completely release pressure. Dispose of can in regular garbage.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))