FRONT PANEL - ENGLISH

GREEN CROSS®

LIQUID ROTENONE

DOMESTIC

LIQUID ORGANIC INSECTICIDE ROTENONE (GROUND CUBE ROOT)

MAY BE USED UP TO ONE DAY BEFORE HARVEST

NET CONTENTS:
250 mL

CONCENTRATED:
Makes 50 L of solution

NET
OR
OR
Makes 50 L of solution

NET CONTENTS: 500 mL CONCENTRATED: Makes 100 L of solution

OR

NET CONTENTS:
1 L
CONCENTRATED:
Makes 200 L of
solution

GUARANTEE:

Rotenone 5.0%

REG. NO.: 19,914 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN READ LABEL BEFORE USING

Scotts Canada Ltd. 2000 Argentia Road Plaza #5, Suite 101 Mississauga, Ontario L5N 2R7 **DANGER**



BACK PANEL - ENGLISH

DIRECTIONS:

LIQUID ROTENONE is a general garden organic insecticide spray recommended for vegetable crops. It can be safely used on fruit and vegetable crops up to 1 day before harvest. It is also effective against chewing and sucking pests of ornamentals and flowers.

| USE ON | INSECTS CONTROLLED | GREEN CROSS DIAL-A- SPRAY SETTING* | COMPRESSED AIR SPRAYER | APPLICATION PROCEDURE | TIMING |
|---|--|--|---|---|--|
| Vegetables: Asparagus, beans, beets, Brussels sprouts, cabbage, cauliflower, celery, corn (sweet), cucumbers, eggplant, lettuce, melons, onions, peas, peppers, potatoes, pumpkins, radishes, squash, spinach, Swiss Chard and tomatoes | Aphids, asparagus beetles, bean leaf beetles, beet webworm, cabbage looper, Colorado potato beetle, cucumber beetle, diamondback moth, European corn borer, flea beetles, hornworms, imported cabbage worm, leafhoppers, Mexican bean beetle, pea weevil, pickleworm | 5 | Mix 5 ml of Liquid Rotenone in 1 L of water (5 teaspoons per gallon). | Spray to wet upper and lower leaf surfaces. | When insects or insect damage appears, repeat every 5-7 days as necessary. |
| | Squash Vine Borer | | | Apply to base of plant. | Weekly. |
| | Corn Borer | | | Apply to leaf whorls. | After eggs begin to hatch. |

| USE ON | INSECTS CONTROLLED | GREEN CROSS DIAL-A- SPRAY SETTING* | COMPRESSED AIR SPRAYER | APPLICATION PROCEDURE | TIMING |
|---|---|--|---|---|--|
| Fruit: Blackberries, currants, goose- berries, raspberries and strawberries | Aphids, currant worms, flea beetles, fruit- worms, leaf- hoppers and sawfly | 5 | Mix 5 ml of Liquid Rotenone in 1 L of water (5 teaspoons per gallon). | Spray to wet upper and lower leaf surfaces. | When insects or insect damage appears. Repeat every 5-7 days as necessary. |
| Ornamentals and Flowers: Gladioli, roses, zinnias, shrubs and trees | Aphids, canker- worms, flea beetles, tent caterpillars, thrips, as well as other insects listed. | | | | |

^{*} The GREEN CROSS DIAL-A-SPRAY® is a hose-end sprayer with various settings. The number of the setting is the number of mL of product being applied per litre of water. Please refer to the DIAL-A-SPRAY label and pamphlet for use instructions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash after handling and before eating, drinking or smoking. Do not contaminate food, or feed, or any body of water. Toxic to fish.

DISPOSAL:

Do not re-use empty container. Wrap and dispose of empty container in household garbage.

FIRST AID:

In case of poisoning, call a doctor immediately or contact a Poison Control Centre. If on skin, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water and obtain medical attention. If product or the dilute mixture is swallowed, DO NOT INDUCE **VOMITING** (contains petroleum distillate) but take the patient to the nearest hospital or doctor's office. Bring the Liquid Rotenone container with you. Take container, label or product name and Pest

Control Product Registration Number with you when seeking medical attention.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

Web Site: www.greencrosscanada.com

®Registered trademark of The Scotts Company, Scotts Canada Ltd. licensee

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))