## MULTIVAP

## LIVESTOCK SPRAY AND FOGGING SOLUTION INSECTICIDE A BETAIL ET SOLUTION ATOMISEUR

AGRICULTURAL / AGRICOLE

GUARANTEE/GARANTIE:

Dichlorvos..... 0.9%

REGISTRATION NO. 23188

PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 23188

LOI SUR LES PRODUITS ANTIPARASITAIRES

READ THE LABEL BEFORE USING LIRE L'ETIQUETTE AVANT L'EMPLOI

CAUTION / ATTENTION

POISON

NET CONTENTS 10 L CONTENU NET

MULTI-VET LTD.
MONTREAL, QUEBEC
H3E 1L1

DIRECTIONS: MULTIVAP FOGGING SOLUTION AND LIVESTOCK SPRAY, when applied directly to dairy cattle and beef cattle, reduces the population of stable flies, horn flies and house flies. MULTIVAP FOGGING SOLUTION AND LIVESTOCK SPRAY is ready-to-use and does not require dilution.

DAIRY AND BEEF CATTLE (LACTATING AND NON-LACTATING): Apply as a

spray to flanks, legs, briskets, head and neck on each side of the animal, beginning at the tail and moving forward. Apply sufficient spray to dampen hair (do not soak hair or skin), usually about 30 to 60 mL of solution depending on the size of the animal. Take care not to spray in eyes, mouth or on udders. Wash udders before milking. One or two applications per day may be necessary during periods of high fly population and persistent annoyance.

ANIMAL BUILDINGS (DAIRY BARNS, HORSE BARNS, SHELTER SHEDS), OUTDOOR AREAS: Apply MULTIVAP FOGGING SOLUTION AND LIVESTOCK SPRAY as a fog or a mist. Apply 200 mL per 100 m3 of enclosed area. Before applying, reduce air movements as much as possible by closing doors, windows and other openings. Remove all animals from building before spraying. Direct spray upwards to all parts of the room especially windows and other light sources. Also direction mist into area where insect are present. Keep room closed for 15 minutes before ventilating. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Sweep up dead insects. Do not use in milk rooms or milk processing rooms.

## PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

- 1. Harmful if swallowed, inhaled or absorbed through the skin.

  Do not breathe spray mist. Wear protective clothing,
  natural rubber gloves and a suitable mask or respirator when
  handling the product. Destroy used gloves. Wash
  contaminated clothing before reuse. Wash thoroughly with
  soap and water after handling and before eating or smoking.
- 2. Handle and apply only as recommended and at recommended rates.
- 3. Do not contaminate feed, foodstuff or water troughs. Do not apply fog within 8 hours to areas where livestock have received treatment.
- 4. Highly toxic to crabs, fish and shrimps. Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes.
- 5. Cover milk and milking utensils to prevent contamination from spray and dead insects. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse. Do not use in area where bee-keeping equipment or supplies are stored.

FIRST AID: Product contains petroleum distillate. If swallowed, DO NOT induce vomiting. Obtain medical attention immediately.

If in eyes, flush with clean water for 5-10 minutes and obtain medical attention. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water.

TOXICOLOGICAL INFORMATION: Dichlorvos is a cholinesterase inhibitor. Atropine in antidotal.

STORAGE: Keep in original container during storage. Do not store with feed or foodstuffs. Keep the product away from fire, open flame, lighted electric bulbs and other sources of heat. Destroy empty container as described under DISPOSAL.

DISPOSAL: Do not reuse container. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make empty container unsuitable for further use and dispose of in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Regional Office of Environmental Protection, Environment Canada.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

## NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))