

2000/2001

AQUABEC-10

SWIMMING POOL ALGAECIDE

CONTROLS POOL ALGAES AND MAINTAINS
WATER IN CLEAN CONDITION.

DOMESTIC

4L

GUARANTEE:

N-ALKYL (40% C12, 50% C14, 10% C16)
DIMETHYL BENZYL AMMONIUM CHLORIDE 10%

REG.NO: 18872

P.C.P. ACT

READ THE LABEL BEFORE USING

4 LITRES - NET CONTENT

Fabriqué par:

SANBEC (1981) LTEE

St-Eustache, Qué.Can.

J7R 5C2

Tel.: (450)491-0303

DIRECTIONS FOR USE

- 1- SUPERCHLORINATE POOL WATER AT LEAST 24 HOURS PRIOR TO USING AQUABEC-10.
- 2- INITIAL DOSAGE FOR WATER WITH NO VISIBLE ALGAE GROWTH, ADD 400 MILLILITRES OF AQUABEC-10 PER 10000 LITRES OF POOL WATER.
- 3- WEEKLY MAINTENANCE DOSAGE IS 400 ML. PER 10000 LITRES OF POOLWATER.
- 4- FOR VISIBLE ALGAE, SUPERCHLORINATE AND 24 HOURS LATER ADD 400 ML. PER 10000 LITRES. CONTINUE WITH WEEKLY MAINTENANCE DOSAGE.

5- FOR VISIBLE ALGAE, WHEN SUPERCHLORINATION IS NOT EMPLOYED, ADD 1,0 L. OF AQUABEC-10 PER 1000 LITRES OF WATER. WAIT AT LEAST 24 HOURS AND VACUUM TO REMOVE DEAD ALGAE.

NOTES: EXCESSIVE USE OF THIS ALGAECIDE WILL CAUSE FOAM FORMATION ON POOL WATER SURFACE.

PRECAUTIONS

- 1- KEEP OUT OF REACH OF CHILDREN.
- 2- UNDILUTED AQUABEC-10 MAY CAUSE SKIN IRRITATIONS OR DAMAGE TO THE EYES.
- 3- HARMFULL IF SWALLOWED.
- 4- AVOID CONTAMINATION OF FOOD.
- 5- DO NOT MIX WITH ANY OTHER CHEMICAL.
- 6- RINSE CONTAINER THOROUGHLY BEFORE DISCARDING. DO NOT RE-USE.

FIRST AID IN CASE OF CONTACT WITH SKIN OR EYES, FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IF SWALLOWED, GET MEDICAL ATTENTION.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))